




恒洁利
HJL

真空半导体




服务客户 提高客户满意度

Serving customers and improving customer satisfaction



恒洁利流体技术(苏州)有限公司
HJL Flow Technology (Suzhou) Co., Ltd.



勇敢而来
TO BE BRAVE

Company introduction 公司介绍

恒洁利于2021年5月18日在新兴发展城市海门成立。公司主营业务：研发、生产、销售“高洁净 Hygienic”流体设备和相关部件，包括卫生级泵阀机加工连接件和管件等，主要服务于生物制药、饮料乳品和食品行业，以及半导体行业。产品执行标准为ISO、3A、DIN、ASME BPE等国内、国际食品、药品生产设备的产品标准，以及执行标准为ASTM、JIS、GB等满足 SEMI 半导体制程设备的产品标准。The company HJL was established on May 18, 2021, located in the emerging development city Haiman. The main business is: Researching & developing, manufacturing and selling the hygienic fluid equipment and its related parts, including the sanitary pump, valve, the machined connections and tubular fittings with stainless steel materials. The application of products are mainly to the chemical pharmaceutical, bio-pharmaceutical, drinking, dairy and food industries. The standard of products are mainly with ISO, 3-A, DIN, ASME BPE, and ASTM, JIS, GB meet the requirements for SEMI facility accessories.

为确保向客户交付的产品，能够达到高质量水



准，公司投资了先进的生产设备、质量检验设备和仪器；在工艺方面，公司着力提升加工精度、焊接技术、表面处理技术等。当前交付的产品质量已经获得很多国内外客户认可。To ensure that the products delivered to the customer with high quality level, the company invested a lot of advanced machines, testing equipment and instruments; in terms of technology, the company is developing the machining, welding and surface treatment technologies. The quality of products has been recognized by the many customers local in mainland and abroad.

服务客户，提高客户满意度，是公司全体员工的共同信念。It is the common belief of company employees that we provide the good service to customer and improve customer satisfaction, always!

公司秉持发展、培养和支持的人才理念，引进优秀的研发、生产和销售服务方面的人才，为所有员工提供一个开放、成长和发展的广阔空间和平台。Companies adhere to the policy of talent that all the employees will have chance of training and development when people join us. We are welcome all the excellent talents from R&D, manufacturing and sales, to develop the business and personal career, together!

与您共进
TO BE WITH YOU








More products are coming..... 精彩继续



资质证书 QUALIFICATION CERTIFICATE





目 录 Contents

索引	1-4
ASTM系列	5-26
JIS系列	27-51
GB系列	52-72

行业与标准对照表
Industry and Standard

标准 \ 行业	真空、半导体
ASTM	●
GB	●
JIS	●

材质与标准对照表 Material and Standard

标准 \ 行业	ASTM	GB	JIS
304L	●	●	●
316L	●	●	●
316L-VIM/VAR	●		

材料成份表 (Compositions WT, %) Material Composition

执行标准	材料	C	Mn	P	S	Si	Ni	Cr	Mo
ASTMA269	TP304L	0.03	2	0.045	0.03	1	8.0-12.0	18.0-20.0	/
JIS G3459	SUS304L	0.03	2	0.045	0.03	1	9.0-13.0	18.0-20.0	/
GB/T12771	S30403	0.03	2	0.04	0.03	1	8.0-12.0	18.0-20.0	/
ASTMA269	TP316L	0.03	2	0.045	0.03	1	10.0-15.0	16.0-18.0	2.0-3.0
JIS G3459	SUS316L	0.03	2	0.045	0.03	1	12.0-16.0	16.0-18.0	2.0-3.0
GB/T12771	S31603	0.03	2	0.04	0.03	1	10.0-14.0	16.0-18.0	2.0-3.0
ASTMA269	316L-VIM/VAR	0.03	1.5	0.045	0.003-0.01	1	10.0-15.0	16.0-18.0	2.0-3.0

表面等级 Surface grade

表面处理	等级代码	内表面Ra		外表面Ra	
		um	uin	um	uin
酸洗	AP	1.6	64	1.6	64
光亮退火	BA	0.8	32	0.8	32
机械抛光	MP	0.5	20	0.8	32
电解抛光	EP15	0.375	15	0.8	32
	EP10	0.25	10	0.8	32
	EP05	0.13	5	0.8	32

质量指标 Indication of quality

质量特征	等级	GP	AP	BA	MP	EP15	EP10	EP05
Cr/Fe & CrOx/FeO ratio		/	/	/	$\geq 1.0 @ 1.5\text{nm}$			Cr/Fe $\geq 1.5 @ 1.5\text{nm}$ CrOx/FeO $\geq 2.0 @ 1.5\text{nm}$
颗粒度 particle count		/	/	/	粒径 $\geq 0.1\mu\text{m} : \leq 5\text{ptc/ft}^3$			
油含量 Oil content measurement		/	/	/	0.01mg/ft ²			
液体电阻测定 Liquid resistivity measurement		/	/	/	$\geq 0.5\text{M}\Omega\cdot\text{cm}$			
离子色谱分析 Ion chromatography analysis		/	/	/	10ng/cm ²			5ng/cm ²
露点测定 Dew point measurement		/	/	/	$\leq 75^\circ\text{C}$			

编码原则 Coding principles

	<u>2</u>	<u>9</u>	<u>99</u>	<u>XX XX</u>	<u>12</u>	<u>XX</u>
产品系列 2: ASTM 3: GB 4: JIS						
产品大类 9: 管道、管件 8: 加工件						
产品小类 01: 弯头90°短焊 02: 弯头90°长焊 04: 弯头45°短焊 05: 弯头45°长焊 07: 180°U型弯 短焊 08: 180°U型弯 长焊 09: 三通短焊 10: 三通长焊 12: 四通短焊 13: 四通长焊 15: 同心大小头短焊 16: 同心大小头长焊 17: 帽式同心大小头长焊 19: 偏心大小头短焊 20: 偏心大小头长焊 21: 双套直管 22: 套管弯头90° 23: 套管弯头45° 24: 套管同径三通 25: 套管异径三通 26: 套管同心大小头 27: 翻边接头 长款 28: 翻边接头 短款 29: 板式平焊法兰 30: 带颈平焊法兰 31: 带颈对焊法兰 32: 活套法兰 33: 法兰盖 34: 板式平焊法兰长焊 35: 混编三通长焊						
尺寸代码 01: DN6/3.175 02: DN8/6.35 03: DN10/9.53 04: DN15/12.7 05: DN20/19.05 06: DN25/25.4 07: DN32/31.8 08: DN40/38.1 09: DN50/50.8 10: DN65/63.5 11: DN80/76.2 12: DN90/88.9 13: DN100/101.6 14: DN125 15: DN150/152.4 16: DN200 17: DN250 18: DN300 19: DN350 20: DN400						
表面处理代码 01: AP 11: BA 12: MP 22: EP15 23: EP10 28: EP05						
材质代码 02: 304L 04: 316L						


管径/壁厚对照表 Pipe Diameter/Thickness Comparison Table

ASTM A269/A632					JIS G3459						
公称管径	规格	OD	T		公称管径	规格	OD	SCH 5S	SCH 10S	SCH 20S	
DN8	1/4"	6.35	0.89	SML	DN8	8A	13.8	1.2	1.65	2.0	SML
DN10	3/8"	9.53	0.89	SML	DN10	10A	17.3	1.2	1.65	2.0	SML/WLD
DN15	1/2"	12.7	1.24	SML	DN15	15A	21.7	1.65	2.1	2.5	SML/WLD
DN20	3/4"	19.05	1.65	SML/WLD	DN20	20A	27.2	1.65	2.1	2.5	SML/WLD
DN25	1"	25.4	1.65	SML/WLD	DN25	25A	34	1.65	2.8	3.0	SML/WLD
/	/	/	/	/	DN32	32A	42.7	1.65	2.8	3.0	SML/WLD
DN40	1.5"	38.1	1.65	SML/WLD	DN40	40A	48.6	1.65	2.8	3.0	SML/WLD
DN50	2"	50.8	1.65	SML/WLD	DN50	50A	60.5	1.65	2.8	3.5	WLD
DN65	2.5"	63.5	1.65	SML/WLD	DN65	65A	76.3	2.1	3.0	3.5	WLD
DN80	3"	76.2	1.65	SML/WLD	DN80	80A	89.1	2.1	3.0	4.0	WLD
/	/	/	/	/	DN90	90A	101.6	2.1	3.0	4.0	WLD
DN100	4"	101.6	2.11	SML/WLD	DN100	100A	114.3	2.1	3.0	4.0	WLD
/	/	/	/	/	DN125	125A	139.8	2.8	3.4	5.0	WLD
DN150	6"	152.4	2.77	SML/WLD	DN150	150A	165.2	2.8	3.4	5.0	WLD
/	/	/	/	/	DN200	200A	216.3	2.8	4.0	6.5	WLD

管径/壁厚对照表 Pipe Diameter/Thickness Comparison Table

GB/T14976/12771

公称管径	OD	SCH 5S	SCH 10S	SCH 20S	
DN8	13.5	1.2	1.6	2.0	SML
DN10	17.2	1.2	1.6	2.0	SML/WLD
DN15	21.3	1.6	2.0	2.6	SML/WLD
DN20	26.9	1.6	2.0	2.6	SML/WLD
DN25	33.7	1.6	2.9	3.2	SML/WLD
DN32	42.4	1.6	2.9	3.2	SML/WLD
DN40	48.3	1.6	2.9	3.2	SML/WLD
DN50	60.3	1.6	2.9	3.6	WLD
DN65	76.1	2.0	3.2	3.6	WLD
DN80	88.9	2.0	3.2	4.0	WLD
DN90	101.6	2.0	3.2	4.0	WLD
DN100	114.3	2.0	3.2	4.0	WLD
DN125	139.7	2.9	3.6	5.0	WLD
DN150	168.3	2.9	3.6	5.0	WLD
DN200	219.1	2.9	4.0	6.3	WLD




产品品类：2999

ASTM A269 洁净不锈钢管 Tube 304L/316L

单位：mm

公称外径	规格	OD	T	L
DN8	1/4"	6.35	0.89	6000
DN10	3/8"	9.53	0.89	6000
DN15	1/2"	12.70	1.24	6000
DN20	3/4"	19.05	1.65	6000
DN25	1"	25.40	1.65	6000
DN40	1.5"	38.10	1.65	6000
DN50	2"	50.80	1.65	6000
DN65	2.5"	63.50	1.65	6000
DN80	3"	76.20	1.65	6000
DN100	4"	101.60	2.11	6000
DN150	6"	152.40	2.77	6000




产品品类：2902

ASTM A269 弯头90°长焊 Automatic Weld: 90°Elbow 304L/316L

单位：mm

公称外径	规格	OD	T	R	A
DN8	1/4"	6.35	0.89	14.30	66.68
DN10	3/8"	9.53	0.89	28.58	66.68
DN15	1/2"	12.70	1.24	28.58	76.20
DN20	3/4"	19.05	1.65	28.58	76.20
DN25	1"	25.40	1.65	38.10	76.20
DN40	1.5"	38.10	1.65	57.15	95.25
DN50	2"	50.80	1.65	76.20	120.65
DN65	2.5"	63.50	1.65	95.25	139.70
DN80	3"	76.20	1.65	114.30	158.75
DN100	4"	101.60	2.11	152.40	203.20
DN150	6"	152.40	2.77	228.60	292.10




产品品类：2905

ASTM A269 弯头45°长焊 Automatic Weld: 45°Elbow 304L/316L

单位：mm

公称外径	规格	OD	T	R	A
DN8	1/4"	6.35	0.89	14.30	50.80
DN10	3/8"	9.53	0.89	28.58	50.80
DN15	1/2"	12.70	1.24	28.58	57.15
DN20	3/4"	19.05	1.65	28.58	57.15
DN25	1"	25.40	1.65	38.10	57.15
DN40	1.5"	38.10	1.65	57.15	63.50
DN50	2"	50.80	1.65	76.20	76.20
DN65	2.5"	63.50	1.65	95.25	85.73
DN80	3"	76.20	1.65	114.30	92.08
DN100	4"	101.60	2.11	152.40	114.30
DN150	6"	152.40	2.77	228.60	158.75




产品品类：2910

ASTM A269 同径三通长焊 Automatic Weld: Straight Tee 304L/316L

单位：mm

公称外径	规格	OD	T	A
DN8	1/4"	6.35	0.89	44.45
DN10	3/8"	9.53	0.89	44.45
DN15	1/2"	12.70	1.24	47.63
DN20	3/4"	19.05	1.65	50.80
DN25	1"	25.40	1.65	53.98
DN40	1.5"	38.10	1.65	60.33
DN50	2"	50.80	1.65	73.03
DN65	2.5"	63.50	1.65	79.38
DN80	3"	76.20	1.65	85.73
DN100	4"	101.60	2.11	104.78
DN150	6"	152.40	2.77	142.88



产品品类：2910

ASTM A269 异径三通长焊 Automatic Weld: Reducing Tee 304L/316L

单位：mm


公称外径	规格	OD1	T1	OD2	T2	A	B
DN10xDN8	3/8"x1/4"	9.53	0.89	6.35	0.89	44.45	44.45
DN15xDN8	1/2"x1/4"	12.70	1.24	6.35	0.89	47.63	47.63
DN15xDN10	1/2"x3/8"	12.70	1.24	9.53	0.89	47.63	47.63
DN20xDN8	3/4"x1/4"	19.05	1.65	6.35	0.89	50.80	50.80
DN20xDN10	3/4"x3/8"	19.05	1.65	9.53	0.89	50.80	50.80
DN20xDN15	3/4"x1/2"	19.05	1.65	12.70	1.24	50.80	50.80
DN25xDN8	1"x1/4"	25.40	1.65	6.35	0.89	53.98	53.98
DN25xDN10	1"x3/8"	25.40	1.65	9.53	0.89	53.98	53.98
DN25xDN15	1"x1/2"	25.40	1.65	12.70	1.24	53.98	53.98
DN25xDN20	1"x3/4"	25.40	1.65	19.05	1.65	53.98	53.98
DN40xDN8	1.5"x1/4"	38.10	1.65	6.35	0.89	60.33	60.33
DN40xDN10	1.5"x3/8"	38.10	1.65	9.53	0.89	60.33	60.33
DN40xDN15	1.5"x1/2"	38.10	1.65	12.70	1.24	60.33	60.33
DN40xDN20	1.5"x3/4"	38.10	1.65	19.05	1.65	60.33	60.33
DN40xDN25	1.5"x1"	38.10	1.65	25.40	1.65	60.33	60.33
DN50xDN8	2"x1/4"	50.80	1.65	6.35	0.89	73.03	66.68
DN50xDN10	2"x3/8"	50.80	1.65	9.53	0.89	73.03	66.68
DN50xDN15	2"x1/2"	50.80	1.65	12.70	1.24	73.03	66.68
DN50xDN20	2"x3/4"	50.80	1.65	19.05	1.65	73.03	66.68
DN50xDN25	2"x1"	50.80	1.65	25.40	1.65	73.03	66.68
DN50xDN40	2"x1.5"	50.80	1.65	38.10	1.65	73.03	66.68
DN65xDN8	2.5"x1/4"	63.50	1.65	6.35	0.89	79.38	73.03
DN65xDN10	2.5"x3/8"	63.50	1.65	9.53	0.89	79.38	73.03
DN65xDN15	2.5"x1/2"	63.50	1.65	12.70	1.24	79.38	73.03
DN65xDN20	2.5"x3/4"	63.50	1.65	19.05	1.65	79.38	73.03
DN65xDN25	2.5"x1"	63.50	1.65	25.40	1.65	79.38	73.03
DN65xDN40	2.5"x1.5"	63.50	1.65	38.10	1.65	79.38	73.03

产品品类：2910

ASTM A269 异径三通长焊 Automatic Weld: Reducing Tee 304L/316L

单位：mm

公称外径	规格	OD1	T1	OD2	T2	A	B
DN65xDN50	2.5"x2"	63.50	1.65	50.80	1.65	79.38	73.03
DN80xDN8	3"x1/4"	76.20	1.65	6.35	0.89	85.73	79.38
DN80xDN10	3"x3/8"	76.20	1.65	9.53	0.89	85.73	79.38
DN80xDN15	3"x1/2"	76.20	1.65	12.70	1.24	85.73	79.38
DN80xDN20	3"x3/4"	76.20	1.65	19.05	1.65	85.73	79.38
DN80xDN25	3"x1"	76.20	1.65	25.40	1.65	85.73	79.38
DN80xDN40	3"x1.5"	76.20	1.65	38.10	1.65	85.73	79.38
DN80xDN50	3"x2"	76.20	1.65	50.80	1.65	85.73	79.38
DN80xDN65	3"x2.5"	76.20	1.65	63.50	1.65	85.73	79.38
DN100xDN8	4"x1/4"	101.60	2.11	6.35	0.89	104.78	92.08
DN100xDN10	4"x3/8"	101.60	2.11	9.53	0.89	104.78	92.08
DN100xDN15	4"x1/2"	101.60	2.11	12.70	1.24	104.78	92.08
DN100xDN20	4"x3/4"	101.60	2.11	19.05	1.65	104.78	92.08
DN100xDN25	4"x1"	101.60	2.11	25.40	1.65	104.78	92.08
DN100xDN40	4"x1.5"	101.60	2.11	38.10	1.65	104.78	92.08
DN100xDN50	4"x2"	101.60	2.11	50.80	1.65	104.78	98.43
DN100xDN65	4"x2.5"	101.60	2.11	63.50	1.65	104.78	98.43
DN100xDN80	4"x3"	101.60	2.11	76.20	1.65	104.78	98.43
DN150xDN8	6"x1/4"	152.40	2.77	6.35	0.89	142.88	117.48
DN150xDN10	6"x3/8"	152.40	2.77	9.53	0.89	142.88	117.48
DN150xDN15	6"x1/2"	152.40	2.77	12.70	1.24	142.88	117.48
DN150xDN20	6"x3/4"	152.40	2.77	19.05	1.65	142.88	117.48
DN150xDN25	6"x1"	152.40	2.77	25.40	1.65	142.88	117.48
DN150xDN40	6"x1.5"	152.40	2.77	38.10	1.65	142.88	117.48
DN150xDN50	6"x2"	152.40	2.77	50.80	1.65	142.88	123.83
DN150xDN65	6"x2.5"	152.40	2.77	63.50	1.65	142.88	123.83
DN150xDN80	6"x3"	152.40	2.77	76.20	1.65	142.88	123.83
DN150xDN100	6"x4"	152.40	2.77	101.60	2.11	142.88	130.18




产品品类：2913

ASTM A269 同径四通长焊 Automatic Weld : Straight Cross 304L/316L

单位：mm

公称外径	规格	OD	T	A
DN8	1/4"	6.35	0.89	44.45
DN10	3/8"	9.53	0.89	44.45
DN15	1/2"	12.70	1.24	47.63
DN20	3/4"	19.05	1.65	50.80
DN25	1"	25.40	1.65	53.98
DN40	1.5"	38.10	1.65	60.33
DN50	2"	50.80	1.65	73.03
DN65	2.5"	63.50	1.65	79.38
DN80	3"	76.20	1.65	85.73
DN100	4"	101.60	2.11	104.78
DN150	6"	152.40	2.77	142.88



产品品类：2916

ASTM A269 同心大小头长焊 Automatic Weld:Concentric Reducer 304L/316L

单位：mm


公称外径	规格	OD1	T1	OD2	T2	A	L1
DN10xDN8	3/8"x1/4"	9.53	0.89	6.35	0.89	69.85	34.14
DN15xDN8	1/2"x1/4"	12.70	1.24	6.35	0.89	69.85	33.35
DN15xDN10	1/2"x3/8"	12.70	1.24	9.53	0.89	69.85	34.14
DN20xDN8	3/4"x1/4"	19.05	1.65	6.35	0.89	69.85	31.75
DN20xDN10	3/4"x3/8"	19.05	1.65	9.53	0.89	69.85	32.54
DN20xDN15	3/4"x1/2"	19.05	1.65	12.70	1.24	69.85	33.35
DN25xDN8	1"x1/4"	25.40	1.65	6.35	0.89	76.20	33.35
DN25xDN10	1"x3/8"	25.40	1.65	9.53	0.89	76.20	34.14
DN25xDN15	1"x1/2"	25.40	1.65	12.70	1.24	76.20	34.93
DN25xDN20	1"x3/4"	25.40	1.65	19.05	1.65	76.20	36.53
DN40xDN8	1.5"x1/4"	38.10	1.65	6.35	0.89	133.35	58.75
DN40xDN10	1.5"x3/8"	38.10	1.65	9.53	0.89	133.35	59.54
DN40xDN15	1.5"x1/2"	38.10	1.65	12.70	1.24	133.35	60.33
DN40xDN20	1.5"x3/4"	38.10	1.65	19.05	1.65	133.35	61.93
DN40xDN25	1.5"x1"	38.10	1.65	25.40	1.65	133.35	63.50
DN50xDN8	2"x1/4"	50.80	1.65	6.35	0.89	139.70	58.75
DN50xDN10	2"x3/8"	50.80	1.65	9.53	0.89	139.70	59.54
DN50xDN15	2"x1/2"	50.80	1.65	12.70	1.24	139.70	60.33
DN50xDN20	2"x3/4"	50.80	1.65	19.05	1.65	139.70	61.93
DN50xDN25	2"x1"	50.80	1.65	25.40	1.65	139.70	63.50
DN50xDN40	2"x1.5"	50.80	1.65	38.10	1.65	139.70	66.68
DN65xDN8	2.5"x1/4"	63.50	1.65	6.35	0.89	146.05	58.75
DN65xDN10	2.5"x3/8"	63.50	1.65	9.53	0.89	146.05	59.54
DN65xDN15	2.5"x1/2"	63.50	1.65	12.70	1.24	146.05	60.33
DN65xDN20	2.5"x3/4"	63.50	1.65	19.05	1.65	146.05	61.93
DN65xDN25	2.5"x1"	63.50	1.65	25.40	1.65	146.05	63.50
DN65xDN40	2.5"x1.5"	63.50	1.65	38.10	1.65	146.05	66.68

产品品类：2916

ASTM A269 同心大小头长焊 Automatic Weld:Concentric Reducer 304L/316L

单位：mm

公称外径	规格	OD1	T1	OD2	T2	A	L1
DN65xDN50	2.5"x2"	63.50	1.65	50.80	1.65	146.05	69.85
DN80xDN15	3"x1/2"	76.20	1.65	12.70	1.24	152.40	60.33
DN80xDN20	3"x3/4"	76.20	1.65	19.05	1.65	152.40	61.93
DN80xDN25	3"x1"	76.20	1.65	25.40	1.65	152.40	63.50
DN80xDN40	3"x1.5"	76.20	1.65	38.10	1.65	152.40	66.68
DN80xDN50	3"x2"	76.20	1.65	50.80	1.65	152.40	69.85
DN80xDN65	3"x2.5"	76.20	1.65	63.50	1.65	152.40	73.03
DN100xDN20	4"x3/4"	101.60	2.11	19.05	1.65	165.10	61.93
DN100xDN25	4"x1"	101.60	2.11	25.40	1.65	165.10	63.50
DN100xDN40	4"x1.5"	101.60	2.11	38.10	1.65	165.10	66.68
DN100xDN50	4"x2"	101.60	2.11	50.80	1.65	165.10	69.85
DN100xDN65	4"x2.5"	101.60	2.11	63.50	1.65	165.10	73.03
DN100xDN80	4"x3"	101.60	2.11	76.20	1.65	165.10	76.20
DN150xDN25	6"x1"	152.40	2.77	25.40	1.65	292.10	76.20
DN150xDN40	6"x1.5"	152.40	2.77	38.10	1.65	292.10	76.20
DN150xDN50	6"x2"	152.40	2.77	50.80	1.65	292.10	76.20
DN150xDN65	6"x2.5"	152.40	2.77	63.50	1.65	292.10	76.20
DN150xDN80	6"x3"	152.40	2.77	76.20	1.65	292.10	76.20
DN150xDN100	6"x4"	152.40	2.77	101.60	2.11	292.10	76.20




产品品类：2927

ASTM A269 翻边接头 长款 Tube Stub End-Long 304L/316L

单位：mm

公称外径	规格	OD	T	A	B	C
DN15	1/2"	12.70	1.24	73.03	41.28	2.49
DN20	3/4"	19.05	1.65	73.03	42.88	2.49
DN25	1"	25.40	1.65	79.38	50.80	3.30
DN40	1.5"	38.10	1.65	82.55	73.03	3.30
DN50	2"	50.80	1.65	76.20	92.08	3.30
DN65	2.5"	63.50	1.65	101.60	104.78	3.30
DN80	3"	76.20	1.65	107.95	127.00	4.06
DN100	4"	101.60	2.11	142.88	157.18	4.06
DN150	6"	152.40	2.77	177.80	215.90	5.54




产品品类：2834

ASME B16.5 Class 150 板式平焊法兰 长焊 Automatic Weld: Welding Plate Flange 304L/316L

单位：mm

公称外径	规格	OD	T	O	W	L	tf	n x k
DN15	1/2"	12.70	1.24	88.90	60.45	76.20	9.65	4 x 15.90
DN20	3/4"	19.05	1.65	98.55	69.85	76.20	11.18	4 x 15.90
DN25	1"	25.40	1.65	107.95	79.25	76.20	12.70	4 x 15.90
DN40	1.5"	38.10	1.65	127.00	98.55	76.20	15.75	4 x 15.90
DN50	2"	50.80	1.65	152.40	120.65	88.90	17.53	4 x 19.10
DN65	2.5"	63.50	1.65	177.80	139.70	88.90	20.60	4 x 19.10
DN80	3"	76.20	1.65	190.50	152.40	114.30	22.35	4 x 19.10
DN100	4"	101.60	2.11	228.60	190.50	114.30	22.35	8 x 19.10
DN150	6"	152.40	2.77	279.40	241.30	114.30	23.88	8 x 22.30




产品品类：2829

ASME B16.5 Class 150 板式平焊法兰 Welding Plate Flange 304L/316L

单位：mm

公称外径	规格	O	W	B	t_f	$n \times k$
DN15	1/2"	88.90	60.45	14.30	9.65	4 x $\phi 15.90$
DN20	3/4"	98.55	69.85	20.00	11.18	4 x $\phi 15.90$
DN25	1"	107.95	79.25	27.00	12.70	4 x $\phi 15.90$
DN40	1.5"	127.00	98.55	39.70	15.75	4 x $\phi 15.90$
DN50	2"	152.40	120.65	52.40	17.53	4 x $\phi 19.10$
DN65	2.5"	177.80	139.70	65.10	20.60	4 x $\phi 19.10$
DN80	3"	190.50	152.40	77.80	22.35	4 x $\phi 19.10$
DN100	4"	228.60	190.50	103.20	22.35	8 x $\phi 19.10$
DN150	6"	279.40	241.30	154.00	23.88	8 x $\phi 22.30$




产品品类：2830

ASME B16.5 Class 150 带颈平焊法兰 Slip-On Welding Flange 304L/316L

单位：mm

公称外径	规格	O	W	B	tf	Y	n x k
DN15	1/2"	88.90	60.45	22.35	9.65	14.22	4 x Ø15.90
DN20	3/4"	98.55	69.85	27.69	11.18	14.22	4 x Ø15.90
DN25	1"	107.95	79.25	34.54	12.70	15.75	4 x Ø15.90
DN40	1.5"	127.00	98.55	49.53	15.75	20.57	4 x Ø15.90
DN50	2"	152.40	120.65	61.98	17.53	23.88	4 x Ø19.10
DN65	2.5"	177.80	139.70	74.68	20.60	26.92	4 x Ø19.10
DN80	3"	190.50	152.40	90.68	22.35	28.45	4 x Ø19.10
DN100	4"	228.60	190.50	116.08	22.35	31.75	8 x Ø19.10
DN150	6"	279.40	241.30	170.69	23.88	38.10	8 x Ø22.30




产品品类：2831

ASME B16.5 Class 150 带颈对焊法兰 Neck Welding Flange 304L/316L

单位：mm

公称外径	规格	O	W	B	tf	Y	n x k
DN15	1/2"	88.90	60.45	15.75	9.65	45.97	4 x Ø15.90
DN20	3/4"	98.55	69.85	20.83	11.18	50.80	4 x Ø15.90
DN25	1"	107.95	79.25	26.67	12.70	53.85	4 x Ø15.90
DN40	1.5"	127.00	98.55	40.89	15.75	60.45	4 x Ø15.90
DN50	2"	152.40	120.65	52.58	17.53	61.98	4 x Ø19.10
DN65	2.5"	177.80	139.70	62.74	20.60	68.33	4 x Ø19.10
DN80	3"	190.50	152.40	77.98	22.35	68.33	4 x Ø19.10
DN100	4"	228.60	190.50	102.36	22.35	74.68	8 x Ø19.10
DN150	6"	279.40	241.30	154.18	23.88	87.38	8 x Ø22.30




产品品类：2832

ASME B16.5 Class 150 活套法兰 Lap Joint Flange 304L/316L

单位：mm

公称外径	规格	O	W	B	t_f	Y	$n \times k$
DN15	1/2"	88.90	60.45	22.86	9.65	15.75	4 x Ø15.90
DN20	3/4"	98.55	69.85	28.19	11.18	15.75	4 x Ø15.90
DN25	1"	107.95	79.25	35.05	12.70	17.53	4 x Ø15.90
DN40	1.5"	127.00	98.55	50.04	15.75	22.35	4 x Ø15.90
DN50	2"	152.40	120.65	62.48	17.53	25.40	4 x Ø19.10
DN65	2.5"	177.80	139.70	75.44	20.60	28.45	4 x Ø19.10
DN80	3"	190.50	152.40	91.44	22.35	30.23	4 x Ø19.10
DN100	4"	228.60	190.50	116.84	22.35	33.27	8 x Ø19.10
DN150	6"	279.40	241.30	171.45	23.88	39.62	8 x Ø22.30




产品品类：2833

ASME B16.5 Class 150 法兰盖 Blind Flange 304L/316L

单位：mm

公称外径	规格	O	W	t_f	$n \times k$
DN15	1/2"	88.90	60.45	9.65	4 x Ø15.90
DN20	3/4"	98.55	69.85	11.18	4 x Ø15.90
DN25	1"	107.95	79.25	12.70	4 x Ø15.90
DN40	1.5"	127.00	98.55	15.75	4 x Ø15.90
DN50	2"	152.40	120.65	17.53	4 x Ø19.10
DN65	2.5"	177.80	139.70	20.60	4 x Ø19.10
DN80	3"	190.50	152.40	22.35	4 x Ø19.10
DN100	4"	228.60	190.50	22.35	8 x Ø19.10
DN150	6"	279.40	241.30	23.88	8 x Ø22.30




产品品类：2921

ASTM A269 套管 Coaxial Tube 316L

单位：mm

公称外径	规格	Inner Tube		Outer Tube	
		OD1	T1	OD2	T2
DN8	1/4"	6.35	0.89	12.70	1.24
DN10	3/8"	9.53	0.89	15.88	1.24
DN15	1/2"	12.70	1.24	19.05	1.65
DN20	3/4"	19.05	1.65	25.40	1.65
DN25	1"	25.40	1.65	31.80	1.65
DN40	1.5"	38.10	1.65	50.80	1.65
DN50	2"	50.80	1.65	63.50	1.65




产品品类：2922

ASTM A269 套管弯头90° Coaxial 90°Elbow 316L

单位：mm

公称外径	规格	Inner Tube		Outer Tube		A	B	R
		OD1	T1	OD2	T2			
DN8	1/4"	6.35	0.89	12.70	1.24	111.13	25.40	28.58
DN10	3/8"	9.53	0.89	15.88	1.24	104.78	25.40	28.58
DN15	1/2"	12.70	1.24	19.05	1.65	107.95	25.40	28.58
DN20	3/4"	19.05	1.65	25.40	1.65	171.45	44.45	38.10
DN25	1"	25.40	1.65	31.80	1.65	180.98	44.45	38.10
DN40	1.5"	38.10	1.65	50.80	1.65	212.73	50.80	76.20
DN50	2"	50.80	1.65	63.50	1.65	228.60	50.80	95.25




产品品类：2923

ASTM A269 套管弯头45° Coaxial 45°Elbow 316L

单位：mm

公称外径	规格	Inner Tube		Outer Tube		A	B	R
		OD1	T1	OD2	T2			
DN8	1/4"	6.35	0.89	12.70	1.24	101.60	25.40	28.58
DN10	3/8"	9.53	0.89	15.88	1.24	98.43	25.40	28.58
DN15	1/2"	12.70	1.24	19.05	1.65	98.43	25.40	28.58
DN20	3/4"	19.05	1.65	25.40	1.65	155.58	44.45	38.10
DN25	1"	25.40	1.65	31.80	1.65	158.75	44.45	38.10
DN40	1.5"	38.10	1.65	50.80	1.65	180.85	50.80	76.20
DN50	2"	50.80	1.65	63.50	1.65	203.20	50.80	95.25




产品品类：2924

ASTM A269 套管同径三通 Coaxial Straight Tee 316L

单位：mm

公称外径	规格	Inner Tube		Outer Tube		A	B
		OD1	T1	OD2	T2		
DN8	1/4"	6.35	0.89	12.70	1.24	98.43	25.40
DN10	3/8"	9.53	0.89	15.88	1.24	101.60	25.40
DN15	1/2"	12.70	1.24	19.05	1.65	101.60	25.40
DN20	3/4"	19.05	1.65	25.40	1.65	161.93	44.45
DN25	1"	25.40	1.65	31.80	1.65	165.10	44.45
DN40	1.5"	38.10	1.65	50.80	1.65	193.68	50.80
DN50	2"	50.80	1.65	63.50	1.65	203.20	50.80




产品品类：2925

ASTM A269 套管异径三通 Coaxial Reducing Tee 316L

单位：mm

公称 外径	规格	Inner Tube				Outer Tube				A	B	C	D
		OD1	T1	OD2	T2	OD3	T3	OD4	T4				
DN10xDN8	3/8"x1/4"	9.53	0.89	6.35	0.89	15.88	1.24	12.70	1.24	98.43	104.78	25.40	25.40
DN15xDN8	1/2"x1/4"	12.70	1.24	6.35	0.89	19.05	1.65	12.70	1.24	98.43	104.78	25.40	25.40
DN15xDN10	1/2"x3/8"	12.70	1.24	9.53	0.89	19.05	1.65	15.88	1.24	101.60	104.78	25.40	25.40
DN20xDN8	3/4"x1/4"	19.05	1.65	6.35	0.89	25.40	1.65	12.70	1.24	155.58	107.95	44.45	25.40
DN20xDN10	3/4"x3/8"	19.05	1.65	9.53	0.89	25.40	1.65	15.88	1.24	158.75	107.95	44.45	25.40
DN20xDN15	3/4"x1/2"	19.05	1.65	12.70	1.24	25.40	1.65	19.05	1.65	158.75	107.95	44.45	25.40
DN25xDN8	1"x1/4"	25.40	1.65	6.35	0.89	31.80	1.65	12.70	1.24	155.58	111.13	44.45	25.40
DN25xDN10	1"x3/8"	25.40	1.65	9.53	0.89	31.80	1.65	15.88	1.24	158.75	111.13	44.45	25.40
DN25xDN15	1"x1/2"	25.40	1.65	12.70	1.24	31.80	1.65	19.05	1.65	158.75	111.13	44.45	25.40
DN25xDN20	1"x3/4"	25.40	1.65	19.05	1.65	31.80	1.65	25.40	1.65	161.93	168.28	44.45	44.45
DN40xDN15	1.5"x1/2"	38.10	1.65	12.70	1.24	50.80	1.65	19.05	1.65	177.80	177.80	50.80	44.45
DN40xDN20	1.5"x3/4"	38.10	1.65	19.05	1.65	50.80	1.65	25.40	1.65	180.98	177.80	50.80	44.45
DN40xDN25	1.5"x1"	38.10	1.65	25.40	1.65	50.80	1.65	31.80	1.65	184.15	177.80	50.80	44.45
DN50xDN15	2"x1/2"	50.80	1.65	12.70	1.24	63.50	1.65	19.05	1.65	196.85	228.60	50.80	44.45
DN50xDN25	2"x1"	50.80	1.65	25.40	1.65	63.50	1.65	31.80	1.65	203.20	184.15	50.80	44.45




产品品类：2926

ASTM A269 套管同心大小头 Coaxial Concentric Reducer 316L

单位：mm

公称 外径	规格	Inner Tube				Outer Tube				A	B	C	D	E	F
		OD1	T1	OD2	T2	OD3	T3	OD4	T4						
DN10xDN8	3/8"x1/4"	9.53	0.89	6.35	0.89	15.88	1.24	12.70	1.24	101.60	34.04	66.04	101.60	59.44	37.34
DN15xDN8	1/2"x1/4"	12.70	1.24	6.35	0.89	19.05	1.65	12.70	1.24	101.60	33.27	65.02	101.60	58.67	39.62
DN15xDN10	1/2"x3/8"	12.70	1.24	9.53	0.89	19.05	1.65	15.88	1.24	101.60	34.04	65.79	101.60	59.44	40.39
DN20xDN8	3/4"x1/4"	19.05	1.65	6.35	0.89	25.40	1.65	12.70	1.24	127.00	50.80	69.85	146.05	98.55	41.40
DN20xDN10	3/4"x3/8"	19.05	1.65	9.53	0.89	25.40	1.65	15.88	1.24	127.00	51.56	70.61	146.05	96.27	39.12
DN20xDN15	3/4"x1/2"	19.05	1.65	12.70	1.24	25.40	1.65	19.05	1.65	127.00	52.32	71.37	146.05	100.08	42.93
DN25xDN8	1"x1/4"	25.40	1.65	6.35	0.89	31.80	1.65	12.70	1.24	127.00	52.32	65.02	146.05	96.77	39.62
DN25xDN10	1"x3/8"	25.40	1.65	9.53	0.89	31.80	1.65	15.88	1.24	127.00	53.09	65.79	146.05	97.54	40.39
DN25xDN15	1"x1/2"	25.40	1.65	12.70	1.24	31.80	1.65	19.05	1.65	127.00	54.10	66.80	146.05	98.55	41.40
DN25xDN20	1"x3/4"	25.40	1.65	19.05	1.65	31.80	1.65	25.40	1.65	165.10	55.63	106.43	165.10	100.08	61.98
DN40xDN8	1.5"x1/4"	38.10	1.65	6.35	0.89	50.80	1.65	12.70	1.24	146.05	58.67	71.37	171.45	111.25	41.40
DN40xDN10	1.5"x3/8"	38.10	1.65	9.53	0.89	50.80	1.65	15.88	1.24	146.05	58.67	71.37	171.45	111.25	41.40
DN40xDN15	1.5"x1/2"	38.10	1.65	12.70	1.24	50.80	1.65	19.05	1.65	146.05	60.45	73.15	171.45	112.78	42.93
DN40xDN20	1.5"x3/4"	38.10	1.65	19.05	1.65	50.80	1.65	25.40	1.65	184.15	61.98	112.78	190.50	114.30	63.50
DN40xDN25	1.5"x1"	38.10	1.65	25.40	1.65	50.80	1.65	31.80	1.65	184.15	63.50	114.30	190.50	115.82	65.02
DN50xDN8	2"x1/4"	50.80	1.65	6.35	0.89	63.50	1.65	12.70	1.24	152.40	58.67	71.37	177.80	111.25	41.40
DN50xDN10	2"x3/8"	50.80	1.65	9.53	0.89	63.50	1.65	15.88	1.24	152.40	59.44	72.14	177.80	112.01	42.16
DN50xDN15	2"x1/2"	50.80	1.65	12.70	1.24	63.50	1.65	19.05	1.65	152.40	60.45	73.15	177.80	112.78	42.93
DN50xDN20	2"x3/4"	50.80	1.65	19.05	1.65	63.50	1.65	25.40	1.65	190.50	61.98	112.78	196.85	114.30	63.50
DN50xDN25	2"x1"	50.80	1.65	25.40	1.65	63.50	1.65	31.80	1.65	190.50	63.50	114.30	196.85	115.82	65.02
DN50xDN40	2"x1.5"	50.80	1.65	38.10	1.65	63.50	1.65	50.80	1.65	203.20	66.80	130.30	203.20	120.65	76.20




产品品类：4999

JIS G3459 洁净不锈钢管 Tube 304L/316L

单位：mm

公称外径	规格	OD	5S	10S	20S	L
DN8	8A	13.80	1.20	1.65	2.00	6000
DN10	10A	17.30	1.20	1.65	2.00	6000
DN15	15A	21.70	1.65	2.10	2.50	6000
DN20	20A	27.20	1.65	2.10	2.50	6000
DN25	25A	34.00	1.65	2.80	3.00	6000
DN32	32A	42.70	1.65	2.80	3.00	6000
DN40	40A	48.60	1.65	2.80	3.00	6000
DN50	50A	60.50	1.65	2.80	3.50	6000
DN65	65A	76.30	2.10	3.00	3.50	6000
DN80	80A	89.10	2.10	3.00	4.00	6000
DN90	90A	101.60	2.10	3.00	4.00	6000
DN100	100A	114.30	2.10	3.00	4.00	6000
DN125	125A	139.80	2.80	3.40	5.00	6000
DN150	150A	165.20	2.80	3.40	5.00	6000
DN200	200A	216.30	2.80	4.00	6.50	6000




产品品类：4902

JIS B2312 弯头90°长焊 Automatic Weld: 90°Elbow 304L/316L

单位：mm

公称外径	规格	OD	5S	10S	20S	R	A
DN8	8A	13.80	1.20	1.65	2.00	25.40	55.00
DN10	10A	17.30	1.20	1.65	2.00	25.40	62.00
DN15	15A	21.70	1.65	2.10	2.50	38.10	75.00
DN20	20A	27.20	1.65	2.10	2.50	38.10	75.00
DN25	25A	34.00	1.65	2.80	3.00	38.10	75.00
DN32	32A	42.70	1.65	2.80	3.00	47.60	94.00
DN40	40A	48.60	1.65	2.80	3.00	57.20	104.00
DN50	50A	60.50	1.65	2.80	3.50	76.20	123.00
DN65	65A	76.30	2.10	3.00	3.50	95.30	147.00
DN80	80A	89.10	2.10	3.00	4.00	114.30	166.00
DN100	100A	114.30	2.10	3.00	4.00	152.40	204.00
DN125	125A	139.80	2.80	3.40	5.00	190.50	250.00
DN150	150A	165.20	2.80	3.40	5.00	228.60	290.00
DN200	200A	216.30	2.80	4.00	6.50	304.80	375.00




产品品类：4901

JIS B2312 弯头90°长半径 短焊 Manual Weld: 90°Elbow 304L/316L

单位：mm

公称外径	规格	OD	5S	10S	20S	R	A
DN15	15A	21.70	1.65	2.10	2.50	38.10	38.10
DN20	20A	27.20	1.65	2.10	2.50	38.10	38.10
DN25	25A	34.00	1.65	2.80	3.00	38.10	38.10
DN32	32A	42.70	1.65	2.80	3.00	47.60	47.60
DN40	40A	48.60	1.65	2.80	3.00	57.20	57.20
DN50	50A	60.50	1.65	2.80	3.50	76.20	76.20
DN65	65A	76.30	2.10	3.00	3.50	95.30	95.30
DN80	80A	89.10	2.10	3.00	4.00	114.30	114.30
DN90	90A	101.60	2.10	3.00	4.00	133.40	133.40
DN100	100A	114.30	2.10	3.00	4.00	152.40	152.40
DN125	125A	139.80	2.80	3.40	5.00	190.50	190.50
DN150	150A	165.20	2.80	3.40	5.00	228.60	228.60
DN200	200A	216.30	2.80	4.00	6.50	304.80	304.80




产品品类：4905

JIS B2312 弯头45°长焊 Automatic Weld: 45°Elbow 304L/316L

单位：mm

公称外径	规格	OD	5S	10S	20S	R	A
DN8	8A	13.80	1.20	1.65	2.00	25.40	40.00
DN10	10A	17.30	1.20	1.65	2.00	25.40	47.00
DN15	15A	21.70	1.65	2.10	2.50	38.10	52.00
DN20	20A	27.20	1.65	2.10	2.50	38.10	52.00
DN25	25A	34.00	1.65	2.80	3.00	38.10	52.00
DN32	32A	42.70	1.65	2.80	3.00	47.60	66.00
DN40	40A	48.60	1.65	2.80	3.00	57.20	70.00
DN50	50A	60.50	1.65	2.80	3.50	76.20	78.00
DN65	65A	76.30	2.10	3.00	3.50	95.30	91.00
DN80	80A	89.10	2.10	3.00	4.00	114.30	99.00
DN100	100A	114.30	2.10	3.00	4.00	152.40	115.00
DN125	125A	139.80	2.80	3.40	5.00	190.50	145.00
DN150	150A	165.20	2.80	3.40	5.00	228.60	155.00
DN200	200A	216.30	2.80	4.00	6.50	304.80	195.00




产品品类：4904

JIS B2312 弯头45°长半径 短焊 Manual Weld: 45°Elbow 304L/316L

单位：mm

公称外径	规格	OD	5S	10S	20S	R	A
DN15	15A	21.70	1.65	2.10	2.50	38.10	15.80
DN20	20A	27.20	1.65	2.10	2.50	38.10	15.80
DN25	25A	34.00	1.65	2.80	3.00	38.10	15.80
DN32	32A	42.70	1.65	2.80	3.00	47.60	19.70
DN40	40A	48.60	1.65	2.80	3.00	57.20	23.70
DN50	50A	60.50	1.65	2.80	3.50	76.20	31.60
DN65	65A	76.30	2.10	3.00	3.50	95.30	39.50
DN80	80A	89.10	2.10	3.00	4.00	114.30	47.30
DN90	90A	101.60	2.10	3.00	4.00	133.40	55.30
DN100	100A	114.30	2.10	3.00	4.00	152.40	63.10
DN125	125A	139.80	2.80	3.40	5.00	190.50	78.90
DN150	150A	165.20	2.80	3.40	5.00	228.60	94.70
DN200	200A	216.30	2.80	4.00	6.50	304.80	126.30




产品品类：4907

JIS B2312 弯头45°长半径 短焊 Manual Weld: 45°Elbow 304L/316L

单位：mm

公称外径	规格	OD	5S	10S	20S	R	P	K
DN15	15A	21.70	1.65	2.10	2.50	38.10	76.20	49.00
DN20	20A	27.20	1.65	2.10	2.50	38.10	76.20	51.70
DN25	25A	34.00	1.65	2.80	3.00	38.10	76.20	55.10
DN32	32A	42.70	1.65	2.80	3.00	47.60	95.20	69.00
DN40	40A	48.60	1.65	2.80	3.00	57.20	114.40	81.50
DN50	50A	60.50	1.65	2.80	3.50	76.20	152.40	106.50
DN65	65A	76.30	2.10	3.00	3.50	95.30	190.60	133.50
DN80	80A	89.10	2.10	3.00	4.00	114.30	228.60	158.90
DN90	90A	101.60	2.10	3.00	4.00	133.40	266.80	184.20
DN100	100A	114.30	2.10	3.00	4.00	152.40	304.80	209.60
DN125	125A	139.80	2.80	3.40	5.00	190.50	381.00	260.40
DN150	150A	165.20	2.80	3.40	5.00	228.60	457.20	311.20
DN200	200A	216.30	2.80	4.00	6.50	304.80	609.60	413.00



产品品类：4910

JIS B2312 异径三通长焊 Automatic Weld: Reducing Tee 304L/316L

单位：mm

公称外径	规格	OD1	OD2	T1			T2			A	B
				5S	10S	20S	5S	10S	20S		
DN10xDN8	10Ax8A	17.30	13.80	1.20	1.65	2.00	1.20	1.65	2.00	47.00	44.00
DN15xDN8	15Ax8A	21.70	13.80	1.65	2.10	2.50	1.20	1.65	2.00	47.00	44.00
DN15xDN10	15Ax10A	21.70	17.30	1.65	2.10	2.50	1.20	1.65	2.00	52.00	52.00
DN20xDN8	20Ax8A	27.20	13.80	1.65	2.10	2.50	1.20	1.65	2.00	47.00	47.00
DN20xDN10	20Ax10A	27.20	17.30	1.65	2.10	2.50	1.20	1.65	2.00	55.00	55.00
DN20xDN15	20Ax15A	27.20	21.70	1.65	2.10	2.50	1.65	2.10	2.50	55.00	55.00
DN25xDN8	25Ax8A	34.00	13.80	1.65	2.80	3.00	1.20	1.65	2.00	47.00	50.00
DN25xDN10	25Ax10A	34.00	17.30	1.65	2.80	3.00	1.20	1.65	2.00	59.00	59.00
DN25xDN15	25Ax15A	34.00	21.70	1.65	2.80	3.00	1.65	2.10	2.50	59.00	59.00
DN25xDN20	25Ax20A	34.00	27.20	1.65	2.80	3.00	1.65	2.10	2.50	59.00	59.00
DN32xDN8	32Ax8A	42.70	13.80	1.65	2.80	3.00	1.20	1.65	2.00	57.00	54.00
DN32xDN10	32Ax10A	42.70	17.30	1.65	2.80	3.00	1.20	1.65	2.00	68.00	62.00
DN32xDN15	32Ax15A	42.70	21.70	1.65	2.80	3.00	1.65	2.10	2.50	68.00	62.00
DN32xDN20	32Ax20A	42.70	27.20	1.65	2.80	3.00	1.65	2.10	2.50	68.00	62.00
DN32xDN25	32Ax25A	42.70	34.00	1.65	2.80	3.00	1.65	2.80	3.00	68.00	62.00
DN40xDN8	40Ax8A	48.60	13.80	1.65	2.80	3.00	1.20	1.65	2.00	57.00	57.00
DN40xDN10	40Ax10A	48.60	17.30	1.65	2.80	3.00	1.20	1.65	2.00	68.00	65.00
DN40xDN15	40Ax15A	48.60	21.70	1.65	2.80	3.00	1.65	2.10	2.50	68.00	65.00
DN40xDN20	40Ax20A	48.60	27.20	1.65	2.80	3.00	1.65	2.10	2.50	68.00	65.00
DN40xDN25	40Ax25A	48.60	34.00	1.65	2.80	3.00	1.65	2.80	3.00	68.00	65.00
DN40xDN32	40Ax32A	48.60	42.70	1.65	2.80	3.00	1.65	2.80	3.00	77.00	77.00
DN50xDN8	50Ax8A	60.50	13.80	1.65	2.80	3.50	1.20	1.65	2.00	57.00	63.00
DN50xDN10	50Ax10A	60.50	17.30	1.65	2.80	3.50	1.20	1.65	2.00	68.00	71.00
DN50xDN15	50Ax15A	60.50	21.70	1.65	2.80	3.50	1.65	2.10	2.50	68.00	71.00
DN50xDN20	50Ax20A	60.50	27.20	1.65	2.80	3.50	1.65	2.10	2.50	68.00	71.00
DN50xDN25	50Ax25A	60.50	34.00	1.65	2.80	3.50	1.65	2.80	3.00	68.00	71.00
DN50xDN32	50Ax32A	60.50	42.70	1.65	2.80	3.50	1.65	2.80	3.00	83.00	83.00

产品品类：4910

JIS B2312 异径三通长焊 Automatic Weld: Reducing Tee 304L/316L

单位：mm


公称外径	规格	OD1	OD2	T1			T2			A	B
				5S	10S	20S	5S	10S	20S		
DN50xDN40	50Ax40A	60.50	48.60	1.65	2.80	3.50	1.65	2.80	3.00	83.00	83.00
DN65xDN8	65Ax8A	76.30	13.80	2.10	3.00	3.50	1.20	1.65	2.00	61.00	71.00
DN65xDN10	65Ax10A	76.30	17.30	2.10	3.00	3.50	1.20	1.65	2.00	72.00	79.00
DN65xDN15	65Ax15A	76.30	21.70	2.10	3.00	3.50	1.65	2.10	2.50	72.00	79.00
DN65xDN20	65Ax20A	76.30	27.20	2.10	3.00	3.50	1.65	2.80	3.00	72.00	79.00
DN65xDN25	65Ax25A	76.30	34.00	2.10	3.00	3.50	1.65	2.80	3.00	72.00	79.00
DN65xDN32	65Ax32A	76.30	42.70	2.10	3.00	3.50	1.65	2.80	3.00	88.00	90.00
DN65xDN40	65Ax40A	76.30	48.60	2.10	3.00	3.50	1.65	2.80	3.00	88.00	90.00
DN65xDN50	65Ax50A	76.30	60.50	2.10	3.00	3.50	1.65	2.80	3.50	88.00	90.00
DN80xDN8	80Ax8A	89.10	13.80	2.10	3.00	4.00	1.20	1.65	2.00	61.00	77.00
DN80xDN10	80Ax10A	89.10	17.30	2.10	3.00	4.00	1.20	1.65	2.00	72.00	85.00
DN80xDN15	80Ax15A	89.10	21.70	2.10	3.00	4.00	1.65	2.10	2.50	72.00	85.00
DN80xDN20	80Ax20A	89.10	27.20	2.10	3.00	4.00	1.65	2.80	3.00	72.00	85.00
DN80xDN25	80Ax25A	89.10	34.00	2.10	3.00	4.00	1.65	2.80	3.00	72.00	85.00
DN80xDN32	80Ax32A	89.10	42.70	2.10	3.00	4.00	1.65	2.80	3.00	88.00	96.00
DN80xDN40	80Ax40A	89.10	48.60	2.10	3.00	4.00	1.65	2.80	3.00	88.00	96.00
DN80xDN50	80Ax50A	89.10	60.50	2.10	3.00	4.00	1.65	2.80	3.50	88.00	96.00
DN80xDN65	80Ax65A	89.10	76.30	2.10	3.00	4.00	2.10	3.00	3.50	103.00	103.00
DN100xDN8	100Ax8A	114.30	13.80	2.10	3.00	4.00	1.20	1.65	2.00	61.00	90.00
DN100xDN10	100Ax10A	114.30	17.30	2.10	3.00	4.00	1.20	1.65	2.00	72.00	98.00
DN100xDN15	100Ax15A	114.30	21.70	2.10	3.00	4.00	1.65	2.10	2.50	72.00	98.00
DN100xDN20	100Ax20A	114.30	27.20	2.10	3.00	4.00	1.65	2.80	3.00	72.00	98.00
DN100xDN25	100Ax25A	114.30	34.00	2.10	3.00	4.00	1.65	2.80	3.00	72.00	98.00
DN100xDN32	100Ax32A	114.30	42.70	2.10	3.00	4.00	1.65	2.80	3.00	88.00	109.00
DN100xDN40	100Ax40A	114.30	48.60	2.10	3.00	4.00	1.65	2.80	3.00	88.00	109.00
DN100xDN50	100Ax50A	114.30	60.50	2.10	3.00	4.00	1.65	2.80	3.50	88.00	109.00
DN100xDN65	100Ax65A	114.30	76.30	2.10	3.00	4.00	2.10	3.00	3.50	116.00	116.00
DN100xDN80	100Ax80A	114.30	89.10	2.10	3.00	4.00	2.10	3.00	4.00	116.00	116.00
DN125xDN8	125Ax8A	139.80	13.80	2.80	3.40	5.00	1.20	1.65	2.00	80.00	110.00
DN125xDN10	125Ax10A	139.80	17.30	2.80	3.40	5.00	1.20	1.65	2.00	100.00	120.00
DN125xDN15	125Ax15A	139.80	21.70	2.80	3.40	5.00	1.65	2.10	2.50	100.00	120.00
DN125xDN20	125Ax20A	139.80	27.20	2.80	3.40	5.00	1.65	2.80	3.00	100.00	120.00

产品品类：4910

JIS B2312 异径三通长焊 Automatic Weld: Reducing Tee 304L/316L

单位：mm

公称外径	规格	OD1	OD2	T1			T2			A	B
				5S	10S	20S	5S	10S	20S		
DN125xDN25	125Ax25A	139.80	34.00	2.80	3.40	5.00	1.65	2.80	3.00	100.00	120.00
DN125xDN32	125Ax32A	139.80	42.70	2.80	3.40	5.00	1.65	2.80	3.00	120.00	130.00
DN125xDN40	125Ax40A	139.80	48.60	2.80	3.40	5.00	1.65	2.80	3.00	120.00	130.00
DN125xDN50	125Ax50A	139.80	60.50	2.80	3.40	5.00	1.65	2.80	3.50	120.00	130.00
DN125xDN65	125Ax65A	139.80	76.30	2.80	3.40	5.00	2.10	3.00	3.50	140.00	140.00
DN125xDN80	125Ax80A	139.80	89.10	2.80	3.40	5.00	2.10	3.00	4.00	140.00	140.00
DN125xDN100	125Ax100A	139.80	114.30	2.80	3.40	5.00	2.10	3.00	4.00	140.00	140.00
DN150xDN8	150Ax8A	165.20	13.80	2.80	3.40	5.00	1.20	1.65	2.00	90.00	130.00
DN150xDN10	150Ax10A	165.20	17.30	2.80	3.40	5.00	1.20	1.65	2.00	110.00	140.00
DN150xDN15	150Ax15A	165.20	21.70	2.80	3.40	5.00	1.65	2.10	2.50	110.00	140.00
DN150xDN20	150Ax20A	165.20	27.20	2.80	3.40	5.00	1.65	2.80	3.00	110.00	140.00
DN150xDN25	150Ax25A	165.20	34.00	2.80	3.40	5.00	1.65	2.80	3.00	110.00	140.00
DN150xDN32	150Ax32A	165.20	42.70	2.80	3.40	5.00	1.65	2.80	3.00	130.00	150.00
DN150xDN40	150Ax40A	165.20	48.60	2.80	3.40	5.00	1.65	2.80	3.00	130.00	150.00
DN150xDN50	150Ax50A	165.20	60.50	2.80	3.40	5.00	1.65	2.80	3.50	130.00	150.00
DN150xDN65	150Ax65A	165.20	76.30	2.80	3.40	5.00	2.10	3.00	3.50	150.00	160.00
DN150xDN80	150Ax80A	165.20	89.10	2.80	3.40	5.00	2.10	3.00	4.00	150.00	160.00
DN150xDN100	150Ax100A	165.20	114.30	2.80	3.40	5.00	2.10	3.00	4.00	150.00	160.00
DN150xDN125	150Ax125A	165.20	139.80	2.80	3.40	5.00	2.80	3.40	5.00	170.00	170.00
DN200xDN8	200Ax8A	216.30	13.80	2.80	4.00	6.50	1.20	1.65	2.00	100.00	150.00
DN200xDN10	200Ax10A	216.30	17.30	2.80	4.00	6.50	1.20	1.65	2.00	120.00	160.00
DN200xDN15	200Ax15A	216.30	21.70	2.80	4.00	6.50	1.65	2.10	2.50	120.00	160.00
DN200xDN20	200Ax20A	216.30	27.20	2.80	4.00	6.50	1.65	2.80	3.00	120.00	160.00
DN200xDN25	200Ax25A	216.30	34.00	2.80	4.00	6.50	1.65	2.80	3.00	120.00	160.00
DN200xDN32	200Ax32A	216.30	42.70	2.80	4.00	6.50	1.65	2.80	3.00	140.00	170.00
DN200xDN40	200Ax40A	216.30	48.60	2.80	4.00	6.50	1.65	2.80	3.00	140.00	170.00
DN200xDN50	200Ax50A	216.30	60.50	2.80	4.00	6.50	1.65	2.80	3.50	140.00	170.00
DN200xDN65	200Ax65A	216.30	76.30	2.80	4.00	6.50	2.10	3.00	3.50	160.00	180.00
DN200xDN80	200Ax80A	216.30	89.10	2.80	4.00	6.50	2.10	3.00	4.00	160.00	180.00
DN200xDN100	200Ax100A	216.30	114.30	2.80	4.00	6.50	2.10	3.00	4.00	160.00	180.00
DN200xDN125	200Ax125A	216.30	139.80	2.80	4.00	6.50	2.80	3.40	5.00	180.00	190.00
DN200xDN150	200Ax150A	216.30	165.20	2.80	4.00	6.50	2.80	3.40	5.00	180.00	190.00




产品品类：4910

JIS B2312 同径三通长焊 Automatic Weld: Straight Tee 304L/316L

单位：mm

公称外径	规格	OD	5S	10S	20S	A
DN8	8A	13.80	1.20	1.65	2.00	42.00
DN10	10A	17.30	1.20	1.65	2.00	49.00
DN15	15A	21.70	1.65	2.10	2.50	59.00
DN20	20A	27.20	1.65	2.10	2.50	65.00
DN25	25A	34.00	1.65	2.80	3.00	68.00
DN32	32A	42.70	1.65	2.80	3.00	88.00
DN40	40A	48.60	1.65	2.80	3.00	95.00
DN50	50A	60.50	1.65	2.80	3.50	102.00
DN65	65A	76.30	2.10	3.00	3.50	121.00
DN80	80A	89.10	2.10	3.00	4.00	130.00
DN100	100A	114.30	2.10	3.00	4.00	145.00
DN125	125A	139.80	2.80	3.40	5.00	160.00
DN150	150A	165.20	2.80	3.40	5.00	170.00
DN200	200A	216.30	2.80	4.00	6.50	190.00




产品品类：4909

JIS B2312 同径三通短焊 Manual Weld: Straight Tee 304L/316L

单位：mm

公称外径	规格	OD	5S	10S	20S	A
DN15	15A	21.70	1.65	2.10	2.50	25.40
DN20	20A	27.20	1.65	2.10	2.50	28.60
DN25	25A	34.00	1.65	2.80	3.00	38.10
DN32	32A	42.70	1.65	2.80	3.00	47.60
DN40	40A	48.60	1.65	2.80	3.00	57.20
DN50	50A	60.50	1.65	2.80	3.50	63.50
DN65	65A	76.30	2.10	3.00	3.50	76.20
DN80	80A	89.10	2.10	3.00	4.00	85.70
DN90	90A	101.60	2.10	3.00	4.00	95.30
DN100	100A	114.30	2.10	3.00	4.00	104.80
DN125	125A	139.80	2.80	3.40	5.00	123.80
DN150	150A	165.20	2.80	3.40	5.00	142.90
DN200	200A	216.30	2.80	4.00	6.50	177.80



产品品类：4909

JIS B2312 异径三通短焊 Manual Weld: Reducing Tee 304L/316L

单位：mm


公称外径	规格	OD1	OD2	T1			T2			A	B
				5S	10S	20S	5S	10S	20S		
DN20xDN15	20Ax15A	27.20	21.70	1.65	2.10	2.50	1.65	2.10	2.50	28.60	28.60
DN25xDN15	25Ax15A	34.00	21.70	1.65	2.80	3.00	1.65	2.10	2.50	38.10	38.10
DN25xDN20	25Ax20A	34.00	27.20	1.65	2.80	3.00	1.65	2.10	2.50	38.10	38.10
DN32xDN15	32Ax15A	42.70	21.70	1.65	2.80	3.00	1.65	2.10	2.50	47.60	47.60
DN32xDN20	32Ax20A	42.70	27.20	1.65	2.80	3.00	1.65	2.10	2.50	47.60	47.60
DN32xDN25	32Ax25A	42.70	34.00	1.65	2.80	3.00	1.65	2.80	3.00	47.60	47.60
DN40xDN15	40Ax15A	48.60	21.70	1.65	2.80	3.00	1.65	2.10	2.50	57.20	57.20
DN40xDN20	40Ax20A	48.60	27.20	1.65	2.80	3.00	1.65	2.10	2.50	57.20	57.20
DN40xDN25	40Ax25A	48.60	34.00	1.65	2.80	3.00	1.65	2.80	3.00	57.20	57.20
DN40xDN32	40Ax32A	48.60	42.70	1.65	2.80	3.00	1.65	2.80	3.00	57.20	57.20
DN50xDN20	50Ax20A	60.50	27.20	1.65	2.80	3.50	1.65	2.10	2.50	63.50	44.50
DN50xDN25	50Ax25A	60.50	34.00	1.65	2.80	3.50	1.65	2.80	3.00	63.50	50.80
DN50xDN32	50Ax32A	60.50	42.70	1.65	2.80	3.50	1.65	2.80	3.00	63.50	57.20
DN50xDN40	50Ax40A	60.50	48.60	1.65	2.80	3.50	1.65	2.80	3.00	63.50	60.30
DN65xDN25	65Ax25A	76.30	34.00	2.10	3.00	3.50	1.65	2.80	3.00	76.20	57.20
DN65xDN32	65Ax32A	76.30	42.70	2.10	3.00	3.50	1.65	2.80	3.00	76.20	63.50
DN65xDN40	65Ax40A	76.30	48.60	2.10	3.00	3.50	1.65	2.80	3.00	76.20	66.70
DN65xDN50	65Ax50A	76.30	60.50	2.10	3.00	3.50	1.65	2.80	3.50	76.20	69.90
DN80xDN32	80Ax32A	89.10	42.70	2.10	3.00	4.00	1.65	2.80	3.00	85.70	69.90
DN80xDN40	80Ax40A	89.10	48.60	2.10	3.00	4.00	1.65	2.80	3.00	85.70	73.00
DN80xDN50	80Ax50A	89.10	60.50	2.10	3.00	4.00	1.65	2.80	3.50	85.70	76.20

产品品类：4909

JIS B2312 异径三通焊式 Manual Weld: Reducing Tee 304L/316L

单位：mm

公称外径	规格	OD1	OD2	T1			T2			A	B
				5S	10S	20S	5S	10S	20S		
DN80xDN65	80Ax65A	89.10	76.30	2.10	3.00	4.00	2.10	3.00	3.50	85.70	82.60
DN90xDN40	90Ax40A	101.60	48.60	2.10	3.00	4.00	1.65	2.80	3.00	95.30	79.40
DN90xDN50	90Ax50A	101.60	60.50	2.10	3.00	4.00	1.65	2.80	3.50	95.30	82.60
DN90xDN65	90Ax65A	101.60	76.30	2.10	3.00	4.00	2.10	3.00	3.50	95.30	88.90
DN90xDN80	90Ax80A	101.60	89.10	2.10	3.00	4.00	2.10	3.00	4.00	95.30	92.10
DN100xDN40	100Ax40A	114.30	48.60	2.10	3.00	4.00	1.65	2.80	3.00	104.80	85.70
DN100xDN50	100Ax50A	114.30	60.50	2.10	3.00	4.00	1.65	2.80	3.50	104.80	88.90
DN100xDN65	100Ax65A	114.30	76.30	2.10	3.00	4.00	2.10	3.00	3.50	104.80	95.30
DN100xDN80	100Ax80A	114.30	89.10	2.10	3.00	4.00	2.10	3.00	4.00	104.80	98.40
DN100xDN90	100Ax90A	114.30	101.60	2.10	3.00	4.00	2.10	3.00	4.00	104.80	101.60
DN125xDN50	125Ax50A	139.80	60.50	2.80	3.40	5.00	1.65	2.80	3.50	123.80	104.80
DN125xDN65	125Ax65A	139.80	76.30	2.80	3.40	5.00	2.10	3.00	3.50	123.80	108.00
DN125xDN80	125Ax80A	139.80	89.10	2.80	3.40	5.00	2.10	3.00	4.00	123.80	111.10
DN125xDN90	125Ax90A	139.80	101.60	2.80	3.40	5.00	2.10	3.00	4.00	123.80	114.30
DN125xDN100	125Ax100A	139.80	114.30	2.80	3.40	5.00	2.10	3.00	4.00	123.80	117.50
DN150xDN65	150Ax65A	165.20	76.30	2.80	3.40	5.00	2.10	3.00	3.50	142.90	120.70
DN150xDN80	150Ax80A	165.20	89.10	2.80	3.40	5.00	2.10	3.00	4.00	142.90	123.80
DN150xDN90	150Ax90A	165.20	101.60	2.80	3.40	5.00	2.10	3.00	4.00	142.90	127.00
DN150xDN100	150Ax100A	165.20	114.30	2.80	3.40	5.00	2.10	3.00	4.00	142.90	130.20
DN150xDN125	150Ax125A	165.20	139.80	2.80	3.40	5.00	2.80	3.40	5.00	142.90	136.50
DN200xDN90	200Ax90A	216.30	101.60	2.80	4.00	6.50	2.10	3.00	4.00	177.80	152.40
DN200xDN100	200Ax100A	216.30	114.30	2.80	4.00	6.50	2.10	3.00	4.00	177.80	155.60
DN200xDN125	200Ax125A	216.30	139.80	2.80	4.00	6.50	2.80	3.40	5.00	177.80	161.90
DN200xDN150	200Ax150A	216.30	165.20	2.80	4.00	6.50	2.80	3.40	5.00	177.80	168.30



产品品类：4935

JIS B2312 异径三通长焊(混编) Automatic Weld : Reducing Tee 304L/316L

单位：mm

公称外径	规格	OD1	T1	OD2	T2	A	B
DN8xDN8	8Ax1/4"	13.80	1.20	6.35	0.89	42.00	42.00
DN8xDN10	8Ax3/8"	13.80	1.20	9.53	0.89	42.00	42.00
DN8xDN15	8Ax1/2"	13.80	1.20	12.70	1.24	42.00	42.00
DN10xDN8	10Ax1/4"	17.30	1.20	6.35	0.89	47.00	44.00
DN10xDN10	10Ax3/8"	17.30	1.20	9.53	0.89	47.00	44.00
DN10xDN15	10Ax1/2"	17.30	1.20	12.70	1.24	47.00	44.00
DN15xDN8	15Ax1/4"	21.70	1.65	6.35	0.89	47.00	44.00
DN15xDN10	15Ax3/8"	21.70	1.65	9.53	0.89	47.00	44.00
DN15xDN15	15Ax1/2"	21.70	1.65	12.70	1.24	47.00	44.00
DN15xDN20	15Ax3/4"	21.70	1.65	19.05	1.65	52.00	52.00
DN20xDN8	20Ax1/4"	27.20	1.65	6.35	0.89	47.00	47.00
DN20xDN10	20Ax3/8"	27.20	1.65	9.53	0.89	47.00	47.00
DN20xDN15	20Ax1/2"	27.20	1.65	12.70	1.24	47.00	47.00
DN20xDN20	20Ax3/4"	27.20	1.65	19.05	1.65	55.00	55.00
DN20xDN25	20Ax1"	27.20	1.65	25.40	1.65	55.00	55.00
DN25xDN8	25Ax1/4"	34.00	1.65	6.35	0.89	47.00	50.00
DN25xDN10	25Ax3/8"	34.00	1.65	9.53	0.89	47.00	50.00
DN25xDN15	25Ax1/2"	34.00	1.65	12.70	1.24	47.00	50.00
DN25xDN20	25Ax3/4"	34.00	1.65	19.05	1.65	59.00	59.00
DN25xDN25	25Ax1"	34.00	1.65	25.40	1.65	59.00	59.00
DN32xDN8	32Ax1/4"	42.70	1.65	6.35	0.89	57.00	54.00
DN32xDN10	32Ax3/8"	42.70	1.65	9.53	0.89	57.00	54.00
DN32xDN15	32Ax1/2"	42.70	1.65	12.70	1.24	57.00	54.00
DN32xDN20	32Ax3/4"	42.70	1.65	19.05	1.65	68.00	62.00
DN32xDN25	32Ax1"	42.70	1.65	25.40	1.65	68.00	62.00
DN40xDN8	40Ax1/4"	48.60	1.65	6.35	0.89	57.00	57.00
DN40xDN10	40Ax3/8"	48.60	1.65	9.53	0.89	57.00	57.00

产品品类：4935

JIS B2312 异径三通长焊(混编) Automatic Weld : Ruducing Tee 304L/316L

单位：mm


公称外径	规格	OD1	T1	OD2	T2	A	B
DN40xDN15	40Ax1/2"	48.60	1.65	12.70	1.24	57.00	57.00
DN40xDN20	40Ax3/4"	48.60	1.65	19.05	1.65	68.00	65.00
DN40xDN25	40Ax1"	48.60	1.65	25.40	1.65	68.00	65.00
DN40xDN40	40Ax1.5"	48.60	1.65	38.10	1.65	77.00	77.00
DN50xDN8	50Ax1/4"	60.50	1.65	6.35	0.89	57.00	63.00
DN50xDN10	50Ax3/8"	60.50	1.65	9.53	0.89	57.00	63.00
DN50xDN15	50Ax1/2"	60.50	1.65	12.70	1.24	57.00	63.00
DN50xDN20	50Ax3/4"	60.50	1.65	19.05	1.65	68.00	71.00
DN50xDN25	50Ax1"	60.50	1.65	25.40	1.65	68.00	71.00
DN50xDN40	50Ax1.5"	60.50	1.65	38.10	1.65	83.00	83.00
DN50xDN50	50Ax2"	60.50	1.65	50.80	1.65	83.00	83.00
DN65xDN8	65Ax1/4"	76.30	2.10	6.35	0.89	61.00	71.00
DN65xDN10	65Ax3/8"	76.30	2.10	9.53	0.89	61.00	71.00
DN65xDN15	65Ax1/2"	76.30	2.10	12.70	1.24	61.00	71.00
DN65xDN20	65Ax3/4"	76.30	2.10	19.05	1.65	72.00	79.00
DN65xDN25	65Ax1"	76.30	2.10	25.40	1.65	72.00	79.00
DN65xDN40	65Ax1.5"	76.30	2.10	38.10	1.65	88.00	90.00
DN65xDN50	65Ax2"	76.30	2.10	50.80	1.65	88.00	90.00
DN65xDN65	65Ax2.5"	76.30	2.10	63.50	1.65	97.00	97.00
DN80xDN8	80Ax1/4"	89.10	2.10	6.35	0.89	61.00	77.00
DN80xDN10	80Ax3/8"	89.10	2.10	9.53	0.89	61.00	77.00
DN80xDN15	80Ax1/2"	89.10	2.10	12.70	1.24	61.00	77.00
DN80xDN20	80Ax3/4"	89.10	2.10	19.05	1.65	72.00	85.00
DN80xDN25	80Ax1"	89.10	2.10	25.40	1.65	72.00	85.00
DN80xDN40	80Ax1.5"	89.10	2.10	38.10	1.65	88.00	96.00
DN80xDN50	80Ax2"	89.10	2.10	50.80	1.65	88.00	96.00
DN80xDN65	80Ax2.5"	89.10	2.10	63.50	1.65	103.00	103.00
DN80xDN80	80Ax3"	89.10	2.10	76.20	1.65	103.00	103.00
DN100xDN8	100Ax1/4"	114.30	2.10	6.35	0.89	61.00	90.00
DN100xDN10	100Ax3/8"	114.30	2.10	9.53	0.89	61.00	90.00
DN100xDN15	100Ax1/2"	114.30	2.10	12.70	1.24	61.00	90.00
DN100xDN20	100Ax3/4"	114.30	2.10	19.05	1.65	72.00	98.00
DN100xDN25	100Ax1"	114.30	2.10	25.40	1.65	72.00	98.00
DN100xDN40	100Ax1.5"	114.30	2.10	38.10	1.65	88.00	109.00
DN100xDN50	100Ax2"	114.30	2.10	50.80	1.65	88.00	109.00

产品品类：4935

JIS B2312 异径三通长焊(混编) Automatic Weld : Reducing Tee 304L/316L

单位：mm

公称外径	规格	OD1	T1	OD2	T2	A	B
DN100xDN65	100Ax2.5"	114.30	2.10	63.50	1.65	116.00	116.00
DN100xDN80	100Ax3"	114.30	2.10	76.20	1.65	116.00	116.00
DN100xDN100	100Ax4"	114.30	2.10	101.60	2.11	116.00	116.00
DN125xDN8	125Ax1/4"	139.80	2.80	6.35	0.89	80.00	110.00
DN125xDN10	125Ax3/8"	139.80	2.80	9.53	0.89	80.00	110.00
DN125xDN15	125Ax1/2"	139.80	2.80	12.70	1.24	80.00	110.00
DN125xDN20	125Ax3/4"	139.80	2.80	19.05	1.65	100.00	120.00
DN125xDN25	125Ax1"	139.80	2.80	25.40	1.65	100.00	120.00
DN125xDN40	125Ax1.5"	139.80	2.80	38.10	1.65	120.00	130.00
DN125xDN50	125Ax2"	139.80	2.80	50.80	1.65	120.00	130.00
DN125xDN65	125Ax2.5"	139.80	2.80	63.50	1.65	140.00	140.00
DN125xDN80	125Ax3"	139.80	2.80	76.20	1.65	140.00	140.00
DN125xDN100	125Ax4"	139.80	2.80	101.60	2.11	140.00	140.00
DN150xDN8	150Ax1/4"	165.20	2.80	6.35	0.89	90.00	130.00
DN150xDN10	150Ax3/8"	165.20	2.80	9.53	0.89	90.00	130.00
DN150xDN15	150Ax1/2"	165.20	2.80	12.70	1.24	90.00	130.00
DN150xDN20	150Ax3/4"	165.20	2.80	19.05	1.65	110.00	140.00
DN150xDN25	150Ax1"	165.20	2.80	25.40	1.65	110.00	140.00
DN150xDN40	150Ax1.5"	165.20	2.80	38.10	1.65	130.00	150.00
DN150xDN50	150Ax2"	165.20	2.80	50.80	1.65	130.00	150.00
DN150xDN65	150Ax2.5"	165.20	2.80	63.50	1.65	150.00	160.00
DN150xDN80	150Ax3"	165.20	2.80	76.20	1.65	150.00	160.00
DN150xDN100	150Ax4"	165.20	2.80	101.60	2.11	150.00	160.00
DN200xDN8	200Ax1/4"	216.30	2.80	6.35	0.89	100.00	150.00
DN200xDN10	200Ax3/8"	216.30	2.80	9.53	0.89	100.00	150.00
DN200xDN15	200Ax1/2"	216.30	2.80	12.70	1.24	100.00	150.00
DN200xDN20	200Ax3/4"	216.30	2.80	19.05	1.65	120.00	160.00
DN200xDN25	200Ax1"	216.30	2.80	25.40	1.65	120.00	160.00
DN200xDN40	200Ax1.5"	216.30	2.80	38.10	1.65	140.00	170.00
DN200xDN50	200Ax2"	216.30	2.80	50.80	1.65	140.00	170.00
DN200xDN65	200Ax2.5"	216.30	2.80	63.50	1.65	160.00	180.00
DN200xDN80	200Ax3"	216.30	2.80	76.20	1.65	160.00	180.00
DN200xDN100	200Ax4"	216.30	2.80	101.60	2.11	160.00	180.00
DN200xDN150	200Ax6"	216.30	2.80	152.40	2.77	180.00	190.00



产品品类：4916

JIS B2312 同心大小头长焊 Automatic Weld: Concentric Reducer 304L/316L

单位：mm

公称外径	规格	OD1	OD2	T1			T2			A	L1	L2
				5S	10S	20S	5S	10S	20S			
DN15xDN8	15Ax8A	21.70	13.80	1.65	2.10	2.50	1.20	1.65	2.00	66.50	36.90	29.60
DN15xDN10	15Ax10A	21.70	17.30	1.65	2.10	2.50	1.20	1.65	2.00	73.50	36.90	36.60
DN20xDN8	20Ax8A	27.20	13.80	1.65	2.10	2.50	1.20	1.65	2.00	66.50	36.90	29.60
DN20xDN10	20Ax10A	27.20	17.30	1.65	2.10	2.50	1.20	1.65	2.00	73.50	36.90	36.60
DN20xDN15	20Ax15A	27.20	21.70	1.65	2.10	2.50	1.65	2.10	2.50	73.80	36.90	36.90
DN25xDN8	25Ax8A	34.00	13.80	1.65	2.80	3.00	1.20	1.65	2.00	66.50	36.90	29.60
DN25xDN10	25Ax10A	34.00	17.30	1.65	2.80	3.00	1.20	1.65	2.00	73.50	36.90	36.60
DN25xDN15	25Ax15A	34.00	21.70	1.65	2.80	3.00	1.65	2.10	2.50	73.80	36.90	36.90
DN25xDN20	25Ax20A	34.00	27.20	1.65	2.80	3.00	1.65	2.10	2.50	73.80	36.90	36.90
DN32xDN8	32Ax8A	42.70	13.80	1.65	2.80	3.00	1.20	1.65	2.00	76.00	46.40	29.60
DN32xDN10	32Ax10A	42.70	17.30	1.65	2.80	3.00	1.20	1.65	2.00	83.00	46.40	36.60
DN32xDN15	32Ax15A	42.70	21.70	1.65	2.80	3.00	1.65	2.10	2.50	83.30	46.40	36.90
DN32xDN20	32Ax20A	42.70	27.20	1.65	2.80	3.00	1.65	2.10	2.50	83.30	46.40	36.90
DN32xDN25	32Ax25A	42.70	34.00	1.65	2.80	3.00	1.65	2.80	3.00	83.30	46.40	36.90
DN40xDN8	40Ax8A	48.60	13.80	1.65	2.80	3.00	1.20	1.65	2.00	76.40	46.80	29.60
DN40xDN10	40Ax10A	48.60	17.30	1.65	2.80	3.00	1.20	1.65	2.00	83.40	46.80	36.60
DN40xDN15	40Ax15A	48.60	21.70	1.65	2.80	3.00	1.65	2.10	2.50	83.70	46.80	36.90
DN40xDN20	40Ax20A	48.60	27.20	1.65	2.80	3.00	1.65	2.10	2.50	83.70	46.80	36.90
DN40xDN25	40Ax25A	48.60	34.00	1.65	2.80	3.00	1.65	2.80	3.00	83.70	46.80	36.90
DN40xDN32	40Ax32A	48.60	42.70	1.65	2.80	3.00	1.65	2.80	3.00	93.20	46.80	46.40
DN50xDN8	50Ax8A	60.50	13.80	1.65	2.80	3.50	1.20	1.65	2.00	83.40	46.80	29.60
DN50xDN10	50Ax10A	60.50	17.30	1.65	2.80	3.50	1.20	1.65	2.00	83.70	46.80	36.60
DN50xDN15	50Ax15A	60.50	21.70	1.65	2.80	3.50	1.65	2.10	2.50	83.70	46.80	36.90
DN50xDN20	50Ax20A	60.50	27.20	1.65	2.80	3.50	1.65	2.10	2.50	83.70	46.80	36.90
DN50xDN25	50Ax25A	60.50	34.00	1.65	2.80	3.50	1.65	2.80	3.00	83.70	46.80	36.90
DN50xDN32	50Ax32A	60.50	42.70	1.65	2.80	3.50	1.65	2.80	3.00	93.20	46.80	46.40
DN50xDN40	50Ax40A	60.50	48.60	1.65	2.80	3.50	1.65	2.80	3.00	93.60	46.80	46.80

产品品类：4916

JIS B2312 同心大小头长焊 Automatic Weld: Concentric Reducer 304L/316L

单位：mm


公称外径	规格	OD1	OD2	T1			T2			A	L1	L2
				5S	10S	20S	5S	10S	20S			
DN65xDN8	65Ax8A	76.30	13.80	2.10	3.00	3.50	1.20	1.65	2.00	81.30	51.70	29.60
DN65xDN10	65Ax10A	76.30	17.30	2.10	3.00	3.50	1.20	1.65	2.00	88.30	51.70	36.60
DN65xDN15	65Ax15A	76.30	21.70	2.10	3.00	3.50	1.65	2.10	2.50	88.60	51.70	36.90
DN65xDN20	65Ax20A	76.30	27.20	2.10	3.00	3.50	1.65	2.10	2.50	88.60	51.70	36.90
DN65xDN25	65Ax25A	76.30	34.00	2.10	3.00	3.50	1.65	2.80	3.00	88.60	51.70	36.90
DN65xDN32	65Ax32A	76.30	42.70	2.10	3.00	3.50	1.65	2.80	3.00	98.10	51.70	46.40
DN65xDN40	65Ax40A	76.30	48.60	2.10	3.00	3.50	1.65	2.80	3.00	98.50	51.70	46.80
DN65xDN50	65Ax50A	76.30	60.50	2.10	3.00	3.50	1.65	2.80	3.50	98.50	51.70	46.80
DN80xDN8	80Ax8A	89.10	13.80	2.10	3.00	4.00	1.20	1.65	2.00	81.30	51.70	29.60
DN80xDN10	80Ax10A	89.10	17.30	2.10	3.00	4.00	1.20	1.65	2.00	88.30	51.70	36.60
DN80xDN15	80Ax15A	89.10	21.70	2.10	3.00	4.00	1.65	2.10	2.50	88.60	51.70	36.90
DN80xDN20	80Ax20A	89.10	27.20	2.10	3.00	4.00	1.65	2.10	2.50	88.60	51.70	36.90
DN80xDN25	80Ax25A	89.10	34.00	2.10	3.00	4.00	1.65	2.80	3.00	88.60	51.70	36.90
DN80xDN32	80Ax32A	89.10	42.70	2.10	3.00	4.00	1.65	2.80	3.00	98.10	51.70	46.40
DN80xDN40	80Ax40A	89.10	48.60	2.10	3.00	4.00	1.65	2.80	3.00	98.50	51.70	46.80
DN80xDN50	80Ax50A	89.10	60.50	2.10	3.00	4.00	1.65	2.80	3.50	98.50	51.70	46.80
DN80xDN65	80Ax65A	89.10	76.30	2.10	3.00	4.00	2.10	3.00	3.50	103.40	51.70	51.70
DN100xDN8	100Ax8A	114.30	13.80	2.10	3.00	4.00	1.20	1.65	2.00	91.30	61.70	29.60
DN100xDN10	100Ax10A	114.30	17.30	2.10	3.00	4.00	1.20	1.65	2.00	98.30	61.70	36.60
DN100xDN15	100Ax15A	114.30	21.70	2.10	3.00	4.00	1.65	2.10	2.50	98.60	61.70	36.90
DN100xDN20	100Ax20A	114.30	27.20	2.10	3.00	4.00	1.65	2.10	2.50	98.60	61.70	36.90
DN100xDN25	100Ax25A	114.30	34.00	2.10	3.00	4.00	1.65	2.80	3.00	98.60	61.70	36.90
DN100xDN32	100Ax32A	114.30	42.70	2.10	3.00	4.00	1.65	2.80	3.00	108.10	61.70	46.40
DN100xDN40	100Ax40A	114.30	48.60	2.10	3.00	4.00	1.65	2.80	3.00	108.50	61.70	46.80
DN100xDN50	100Ax50A	114.30	60.50	2.10	3.00	4.00	1.65	2.80	3.50	108.50	61.70	46.80
DN100xDN65	100Ax65A	114.30	76.30	2.10	3.00	4.00	2.10	3.00	3.50	113.40	61.70	51.70
DN100xDN80	100Ax80A	114.30	89.10	2.10	3.00	4.00	2.10	3.00	4.00	113.40	61.70	51.70
DN125xDN8	125Ax8A	139.80	13.80	2.80	3.40	5.00	1.20	1.65	2.00	104.10	74.50	29.60
DN125xDN10	125Ax10A	139.80	17.30	2.80	3.40	5.00	1.20	1.65	2.00	111.10	74.50	36.60
DN125xDN15	125Ax15A	139.80	21.70	2.80	3.40	5.00	1.65	2.10	2.50	111.40	74.50	36.90
DN125xDN20	125Ax20A	139.80	27.20	2.80	3.40	5.00	1.65	2.10	2.50	111.40	74.50	36.90
DN125xDN25	125Ax25A	139.80	34.00	2.80	3.40	5.00	1.65	2.80	3.00	111.40	74.50	36.90

产品品类：4916

JIS B2312 同心大小头长焊 Automatic Weld: Concentric Reducer 304L/316L

单位：mm

公称外径	规格	OD1	OD2	T1			T2			A	L1	L2
				5S	10S	20S	5S	10S	20S			
DN125xDN32	125Ax32A	139.80	42.70	2.80	3.40	5.00	1.65	2.80	3.00	120.90	74.50	46.40
DN125xDN40	125Ax40A	139.80	48.60	2.80	3.40	5.00	1.65	2.80	3.00	121.30	74.50	46.80
DN125xDN50	125Ax50A	139.80	60.50	2.80	3.40	5.00	1.65	2.80	3.50	121.30	74.50	46.80
DN125xDN65	125Ax65A	139.80	76.30	2.80	3.40	5.00	2.10	3.00	3.50	126.20	74.50	51.70
DN125xDN80	125Ax80A	139.80	89.10	2.80	3.40	5.00	2.10	3.00	4.00	126.20	74.50	51.70
DN125xDN100	125Ax100A	139.80	114.30	2.80	3.40	5.00	2.10	3.00	4.00	136.20	74.50	61.70
DN150xDN8	150Ax8A	165.20	13.80	2.80	3.40	5.00	1.20	1.65	2.00	111.10	81.50	29.60
DN150xDN10	150Ax10A	165.20	17.30	2.80	3.40	5.00	1.20	1.65	2.00	118.10	81.50	36.60
DN150xDN15	150Ax15A	165.20	21.70	2.80	3.40	5.00	1.65	2.10	2.50	118.40	81.50	36.90
DN150xDN20	150Ax20A	165.20	27.20	2.80	3.40	5.00	1.65	2.10	2.50	118.40	81.50	36.90
DN150xDN25	150Ax25A	165.20	34.00	2.80	3.40	5.00	1.65	2.80	3.00	118.40	81.50	36.90
DN150xDN32	150Ax32A	165.20	42.70	2.80	3.40	5.00	1.65	2.80	3.00	127.90	81.50	46.40
DN150xDN40	150Ax40A	165.20	48.60	2.80	3.40	5.00	1.65	2.80	3.00	128.30	81.50	46.80
DN150xDN50	150Ax50A	165.20	60.50	2.80	3.40	5.00	1.65	2.80	3.50	128.30	81.50	46.80
DN150xDN65	150Ax65A	165.20	76.30	2.80	3.40	5.00	2.10	3.00	3.50	133.20	81.50	51.70
DN150xDN80	150Ax80A	165.20	89.10	2.80	3.40	5.00	2.10	3.00	4.00	133.20	81.50	51.70
DN150xDN100	150Ax100A	165.20	114.30	2.80	3.40	5.00	2.10	3.00	4.00	143.20	81.50	61.70
DN150xDN125	150Ax125A	165.20	139.80	2.80	3.40	5.00	2.80	3.40	5.00	156.00	81.50	74.50
DN200xDN8	200Ax8A	216.30	13.80	2.80	4.00	6.50	1.20	1.65	2.00	124.90	95.30	29.60
DN200xDN10	200Ax10A	216.30	17.30	2.80	4.00	6.50	1.20	1.65	2.00	131.90	95.30	36.60
DN200xDN15	200Ax15A	216.30	21.70	2.80	4.00	6.50	1.65	2.10	2.50	132.20	95.30	36.90
DN200xDN20	200Ax20A	216.30	27.20	2.80	4.00	6.50	1.65	2.10	2.50	132.20	95.30	36.90
DN200xDN25	200Ax25A	216.30	34.00	2.80	4.00	6.50	1.65	2.80	3.00	132.20	95.30	36.90
DN200xDN32	200Ax32A	216.30	42.70	2.80	4.00	6.50	1.65	2.80	3.00	141.70	95.30	46.40
DN200xDN40	200Ax40A	216.30	48.60	2.80	4.00	6.50	1.65	2.80	3.00	142.10	95.30	46.80
DN200xDN50	200Ax50A	216.30	60.50	2.80	4.00	6.50	1.65	2.80	3.50	142.10	95.30	46.80
DN200xDN65	200Ax65A	216.30	76.30	2.80	4.00	6.50	2.10	3.00	3.50	147.00	95.30	51.70
DN200xDN80	200Ax80A	216.30	89.10	2.80	4.00	6.50	2.10	3.00	4.00	147.00	95.30	51.70
DN200xDN100	200Ax100A	216.30	114.30	2.80	4.00	6.50	2.10	3.00	4.00	157.00	95.30	61.70
DN200xDN125	200Ax125A	216.30	139.80	2.80	4.00	6.50	2.80	3.40	5.00	169.80	95.30	74.50
DN200xDN150	200Ax150A	216.30	165.20	2.80	4.00	6.50	2.80	3.40	5.00	176.80	95.30	81.50



产品品类：4915

JIS B2312 同心大小头短焊 Manual Weld: Concentric Reducer 304L/316L

单位：mm


公称外径	规格	OD1	OD2	T1			T2			H
				5S	10S	20S	5S	10S	20S	
DN20xDN15	20Ax15A	27.20	21.70	1.65	2.10	2.50	1.65	2.10	2.50	38.10
DN25xDN15	25Ax15A	34.00	21.70	1.65	2.80	3.00	1.65	2.10	2.50	50.80
DN25xDN20	25Ax20A	34.00	27.20	1.65	2.80	3.00	1.65	2.10	2.50	50.80
DN32xDN15	32Ax15A	42.70	21.70	1.65	2.80	3.00	1.65	2.10	2.50	50.80
DN32xDN20	32Ax20A	42.70	27.20	1.65	2.80	3.00	1.65	2.10	2.50	50.80
DN32xDN25	32Ax25A	42.70	34.00	1.65	2.80	3.00	1.65	2.80	3.00	50.80
DN40xDN15	40Ax15A	48.60	21.70	1.65	2.80	3.00	1.65	2.10	2.50	63.50
DN40xDN20	40Ax20A	48.60	27.20	1.65	2.80	3.00	1.65	2.10	2.50	63.50
DN40xDN25	40Ax25A	48.60	34.00	1.65	2.80	3.00	1.65	2.80	3.00	63.50
DN40xDN32	40Ax32A	48.60	42.70	1.65	2.80	3.00	1.65	2.80	3.00	63.50
DN50xDN20	50Ax20A	60.50	27.20	1.65	2.80	3.50	1.65	2.10	2.50	76.20
DN50xDN25	50Ax25A	60.50	34.00	1.65	2.80	3.50	1.65	2.80	3.00	76.20
DN50xDN32	50Ax32A	60.50	42.70	1.65	2.80	3.50	1.65	2.80	3.00	76.20
DN50xDN40	50Ax40A	60.50	48.60	1.65	2.80	3.50	1.65	2.80	3.00	76.20
DN65xDN25	65Ax25A	76.30	34.00	2.10	3.00	3.50	1.65	2.80	3.00	88.90
DN65xDN32	65Ax32A	76.30	42.70	2.10	3.00	3.50	1.65	2.80	3.00	88.90
DN65xDN40	65Ax40A	76.30	48.60	2.10	3.00	3.50	1.65	2.80	3.00	88.90
DN65xDN50	65Ax50A	76.30	60.50	2.10	3.00	3.50	1.65	2.80	3.50	88.90
DN80xDN32	80Ax32A	89.10	42.70	2.10	3.00	4.00	1.65	2.80	3.00	88.90
DN80xDN40	80Ax40A	89.10	48.60	2.10	3.00	4.00	1.65	2.80	3.00	88.90
DN80xDN50	80Ax50A	89.10	60.50	2.10	3.00	4.00	1.65	2.80	3.50	88.90

产品品类：4915

JIS B2312 同心大小头短焊 Manual Weld: Concentric Reducer 304L/316L

单位：mm

公称外径	规格	OD1	OD2	T1			T2			H
				5S	10S	20S	5S	10S	20S	
DN80xDN65	80Ax65A	89.10	76.30	2.10	3.00	4.00	2.10	3.00	3.50	88.90
DN90xDN32	90Ax32A	101.60	42.70	2.10	3.00	4.00	1.65	2.80	3.00	101.60
DN90xDN40	90Ax40A	101.60	48.60	2.10	3.00	4.00	1.65	2.80	3.00	101.60
DN90xDN50	90Ax50A	101.60	60.50	2.10	3.00	4.00	1.65	2.80	3.50	101.60
DN90xDN65	90Ax65A	101.60	76.30	2.10	3.00	4.00	2.10	3.00	3.50	101.60
DN90xDN80	90Ax80A	101.60	89.10	2.10	3.00	4.00	2.10	3.00	4.00	101.60
DN100xDN40	100Ax40A	114.30	48.60	2.10	3.00	4.00	1.65	2.80	3.00	101.60
DN100xDN50	100Ax50A	114.30	60.50	2.10	3.00	4.00	1.65	2.80	3.50	101.60
DN100xDN65	100Ax65A	114.30	76.30	2.10	3.00	4.00	2.10	3.00	3.50	101.60
DN100xDN80	100Ax80A	114.30	89.10	2.10	3.00	4.00	2.10	3.00	4.00	101.60
DN100xDN90	100Ax90A	114.30	101.60	2.10	3.00	4.00	2.10	3.00	4.00	101.60
DN125xDN50	125Ax50A	139.80	60.50	2.80	3.40	5.00	1.65	2.80	3.50	127.00
DN125xDN65	125Ax65A	139.80	76.30	2.80	3.40	5.00	2.10	3.00	3.50	127.00
DN125xDN80	125Ax80A	139.80	89.10	2.80	3.40	5.00	2.10	3.00	4.00	127.00
DN125xDN90	125Ax90A	139.80	101.60	2.80	3.40	5.00	2.10	3.00	4.00	127.00
DN125xDN100	125Ax100A	139.80	114.30	2.80	3.40	5.00	2.10	3.00	4.00	127.00
DN150xDN65	150Ax65A	165.20	76.30	2.80	3.40	5.00	2.10	3.00	3.50	139.70
DN150xDN80	150Ax80A	165.20	89.10	2.80	3.40	5.00	2.10	3.00	4.00	139.70
DN150xDN90	150Ax90A	165.20	101.60	2.80	3.40	5.00	2.10	3.00	4.00	139.70
DN150xDN100	150Ax100A	165.20	114.30	2.80	3.40	5.00	2.10	3.00	4.00	139.70
DN150xDN125	150Ax125A	165.20	139.80	2.80	3.40	5.00	2.80	3.40	5.00	139.70
DN200xDN90	200Ax90A	216.30	101.60	2.80	4.00	6.50	2.10	3.00	4.00	152.40
DN200xDN100	200Ax100A	216.30	114.30	2.80	4.00	6.50	2.10	3.00	4.00	152.40
DN200xDN125	200Ax125A	216.30	139.80	2.80	4.00	6.50	2.80	3.40	5.00	152.40
DN200xDN150	200Ax150A	216.30	165.20	2.80	4.00	6.50	2.80	3.40	5.00	152.40




产品品类：4829

JIS B2220 10K 板式平焊法兰 Welding Plate Flange 304L/316L

单位：mm

公称外径	规格	D	C	do	t	n x h
DN10	10A	90.00	65.00	17.80	12.00	4 x Ø15.00
DN15	15A	95.00	70.00	22.20	12.00	4 x Ø15.00
DN20	20A	100.00	75.00	27.70	14.00	4 x Ø15.00
DN25	25A	125.00	90.00	34.50	14.00	4 x Ø19.00
DN32	32A	135.00	100.00	43.20	16.00	4 x Ø19.00
DN40	40A	140.00	105.00	49.10	16.00	4 x Ø19.00
DN50	50A	155.00	120.00	61.10	16.00	4 x Ø19.00
DN65	65A	175.00	140.00	77.10	18.00	4 x Ø19.00
DN80	80A	185.00	150.00	90.00	18.00	8 x Ø19.00
DN90	90A	195.00	160.00	102.60	18.00	8 x Ø19.00
DN100	100A	210.00	175.00	115.40	18.00	8 x Ø19.00
DN125	125A	250.00	210.00	141.20	20.00	8 x Ø23.00
DN150	150A	280.00	240.00	166.60	22.00	8 x Ø23.00
DN200	200A	330.00	290.00	218.00	22.00	12 x Ø23.00




产品品类：4831

JIS B2220 10K 带颈对焊法兰 Neck Welding Flange 304L/316L

单位：mm

公称外径	规格	D	C	a	d	t	T	n x h
DN10	10A	90.00	65.00	17.30	12.70	12.00	29.00	4 x Ø15.00
DN15	15A	95.00	70.00	21.70	16.10	12.00	31.00	4 x Ø15.00
DN20	20A	100.00	75.00	27.20	21.60	14.00	32.00	4 x Ø15.00
DN25	25A	125.00	90.00	34.00	27.60	14.00	36.00	4 x Ø19.00
DN32	32A	135.00	100.00	42.70	35.70	16.00	38.00	4 x Ø19.00
DN40	40A	140.00	105.00	48.60	41.60	16.00	38.00	4 x Ø19.00
DN50	50A	155.00	120.00	60.50	52.90	16.00	40.00	4 x Ø19.00
DN65	65A	175.00	140.00	76.30	67.90	18.00	44.00	4 x Ø19.00
DN80	80A	185.00	150.00	89.10	80.70	18.00	45.00	8 x Ø19.00
DN90	90A	195.00	160.00	101.60	93.20	18.00	45.00	8 x Ø19.00
DN100	100A	210.00	175.00	114.30	105.30	18.00	45.00	8 x Ø19.00
DN125	125A	250.00	210.00	139.80	130.80	20.00	47.00	8 x Ø23.00
DN150	150A	280.00	240.00	165.20	155.20	22.00	53.00	8 x Ø23.00
DN200	200A	330.00	290.00	216.30	204.70	22.00	58.00	12 x Ø23.00




产品品类：4832

JIS B2220 10K 活套法兰 Lap Joint Flange 304L/316L

单位：mm

公称外径	规格	D	C	do	t	n x h
DN10	10A	90.00	65.00	17.80	12.00	4 x Ø15.00
DN15	15A	95.00	70.00	22.20	12.00	4 x Ø15.00
DN20	20A	100.00	75.00	27.70	14.00	4 x Ø15.00
DN25	25A	125.00	90.00	34.50	14.00	4 x Ø19.00
DN32	32A	135.00	100.00	43.20	16.00	4 x Ø19.00
DN40	40A	140.00	105.00	49.10	16.00	4 x Ø19.00
DN50	50A	155.00	120.00	61.10	16.00	4 x Ø19.00
DN65	65A	175.00	140.00	77.10	18.00	4 x Ø19.00
DN80	80A	185.00	150.00	90.00	18.00	8 x Ø19.00
DN90	90A	195.00	160.00	102.60	18.00	8 x Ø19.00
DN100	100A	210.00	175.00	115.40	18.00	8 x Ø19.00
DN125	125A	250.00	210.00	141.20	20.00	8 x Ø23.00
DN150	150A	280.00	240.00	166.60	22.00	8 x Ø23.00
DN200	200A	330.00	290.00	218.00	22.00	12 x Ø23.00




产品品类：4833

JIS B2220 10K 法兰盖 Blind Flange 304L/316L

单位：mm

公称外径	规格	D	C	t	n x h
DN10	10A	90.00	65.00	12.00	4 x Ø15.00
DN15	15A	95.00	70.00	12.00	4 x Ø15.00
DN20	20A	100.00	75.00	14.00	4 x Ø15.00
DN25	25A	125.00	90.00	14.00	4 x Ø19.00
DN32	32A	135.00	100.00	16.00	4 x Ø19.00
DN40	40A	140.00	105.00	16.00	4 x Ø19.00
DN50	50A	155.00	120.00	16.00	4 x Ø19.00
DN65	65A	175.00	140.00	18.00	4 x Ø19.00
DN80	80A	185.00	150.00	18.00	8 x Ø19.00
DN90	90A	195.00	160.00	18.00	8 x Ø19.00
DN100	100A	210.00	175.00	18.00	8 x Ø19.00
DN125	125A	250.00	210.00	20.00	8 x Ø23.00
DN150	150A	280.00	240.00	22.00	8 x Ø23.00
DN200	200A	330.00	290.00	22.00	12 x Ø23.00




产品品类：3999

GB/T 12771 洁净不锈钢管 Tube 304L/316L

单位：mm

规格	OD	5S	10S	20S	L
DN8	13.5	1.20	1.60	2.00	6000
DN10	17.2	1.20	1.60	2.00	6000
DN15	21.3	1.60	2.00	2.60	6000
DN20	26.9	1.60	2.00	2.60	6000
DN25	33.7	1.60	2.90	3.20	6000
DN32	42.4	1.60	2.90	3.20	6000
DN40	48.3	1.60	2.90	3.20	6000
DN50	60.3	1.60	2.90	3.60	6000
DN65	76.1	2.00	3.20	3.60	6000
DN80	88.9	2.00	3.20	4.00	6000
DN90	101.6	2.00	3.20	4.00	6000
DN100	114.3	2.00	3.20	4.00	6000
DN125	139.7	2.90	3.60	5.00	6000
DN150	168.3	2.90	3.60	5.00	6000
DN200	219.1	2.90	4.00	6.30	6000




产品品类：3901

GB/T 12459 弯头90°长半径 短焊 Manual Weld: 90°Elbow 304L/316L

单位：mm

规格	OD	5S	10S	20S	R	A
DN15	21.30	1.60	2.00	2.60	38.00	38.00
DN20	26.90	1.60	2.00	2.60	38.00	38.00
DN25	33.70	1.60	2.90	3.20	38.00	38.00
DN32	42.40	1.60	2.90	3.20	48.00	48.00
DN40	48.30	1.60	2.90	3.20	57.00	57.00
DN50	60.30	1.60	2.90	3.60	76.00	76.00
DN65	76.10	2.00	3.20	3.60	95.00	95.00
DN80	88.90	2.00	3.20	4.00	114.00	114.00
DN90	101.60	2.00	3.20	4.00	133.00	133.00
DN100	114.30	2.00	3.20	4.00	152.00	152.00
DN125	139.70	2.90	3.60	5.00	190.00	190.00
DN150	168.30	2.90	3.60	5.00	229.00	229.00
DN200	219.10	2.90	4.00	6.30	305.00	305.00




产品品类：3904

GB/T 12459 弯头45°短焊 Manual Weld: 45°Elbow 304L/316L

单位：mm

规格	OD	5S	10S	20S	R	A
DN15	21.30	1.60	2.00	2.60	38.00	16.00
DN20	26.90	1.60	2.00	2.60	38.00	19.00
DN25	33.70	1.60	2.90	3.20	38.00	22.00
DN32	42.40	1.60	2.90	3.20	48.00	25.00
DN40	48.30	1.60	2.90	3.20	57.00	29.00
DN50	60.30	1.60	2.90	3.60	76.00	35.00
DN65	76.10	2.00	3.20	3.60	95.00	44.00
DN80	88.90	2.00	3.20	4.00	114.00	51.00
DN90	101.60	2.00	3.20	4.00	133.00	57.00
DN100	114.30	2.00	3.20	4.00	152.00	64.00
DN125	139.70	2.90	3.60	5.00	190.00	79.00
DN150	168.30	2.90	3.60	5.00	229.00	95.00
DN200	219.10	2.90	4.00	6.30	305.00	127.00




产品品类：3907

GB/T 12459 180°长半径U型弯 短焊 Manual Weld: 180° Return-bend 304L/316L

单位：mm

规格	OD	5S	10S	20S	R	P	K
DN15	21.30	1.60	2.00	2.60	38.00	76.00	48.00
DN20	26.90	1.60	2.00	2.60	38.00	76.00	51.00
DN25	33.70	1.60	2.90	3.20	38.00	76.00	56.00
DN32	42.40	1.60	2.90	3.20	47.50	95.00	70.00
DN40	48.30	1.60	2.90	3.20	57.00	114.00	83.00
DN50	60.30	1.60	2.90	3.60	76.00	152.00	106.00
DN65	76.10	2.00	3.20	3.60	95.00	190.00	132.00
DN80	88.90	2.00	3.20	4.00	114.50	229.00	159.00
DN90	101.60	2.00	3.20	4.00	133.50	267.00	184.00
DN100	114.30	2.00	3.20	4.00	152.50	305.00	210.00
DN125	139.70	2.90	3.60	5.00	190.50	381.00	262.00
DN150	168.30	2.90	3.60	5.00	228.50	457.00	313.00
DN200	219.10	2.90	4.00	6.30	305.00	610.00	414.00




产品品类：3909

GB/T 12459 同径三通短焊 Manual Weld: Straight Tee 304L/316L

单位：mm

规格	OD	5S	10S	20S	C	M
DN15	21.30	1.60	2.00	2.60	25.00	25.00
DN20	26.90	1.60	2.00	2.60	29.00	29.00
DN25	33.70	1.60	2.90	3.20	38.00	38.00
DN32	42.40	1.60	2.90	3.20	48.00	48.00
DN40	48.30	1.60	2.90	3.20	57.00	57.00
DN50	60.30	1.60	2.90	3.60	64.00	64.00
DN65	76.10	2.00	3.20	3.60	76.00	76.00
DN80	88.90	2.00	3.20	4.00	86.00	86.00
DN90	101.60	2.00	3.20	4.00	95.00	95.00
DN100	114.30	2.00	3.20	4.00	105.00	105.00
DN125	139.70	2.90	3.60	5.00	124.00	124.00
DN150	168.30	2.90	3.60	5.00	143.00	143.00
DN200	219.10	2.90	4.00	6.30	178.00	178.00



产品品类：3909

GB/T 12459 异径三通短焊 Manual Weld: Reducing Tee 304L/316L

单位：mm


规格	OD1	OD2	T1			T2			C	M
			5S	10S	20S	5S	10S	20S		
DN15xDN8	21.30	13.50	1.60	2.00	2.60	1.20	1.60	2.00	25.00	25.00
DN15xDN10	21.30	17.20	1.60	2.00	2.60	1.20	1.60	2.00	25.00	25.00
DN20xDN10	26.90	17.20	1.60	2.00	2.60	1.20	1.60	2.00	29.00	29.00
DN20xDN15	26.90	21.30	1.60	2.00	2.60	1.60	2.00	2.60	29.00	29.00
DN25xDN15	33.70	21.30	1.60	2.90	3.20	1.60	2.00	2.60	38.00	38.00
DN25xDN20	33.70	26.90	1.60	2.90	3.20	1.60	2.00	2.60	38.00	38.00
DN32xDN15	42.40	21.30	1.60	2.90	3.20	1.60	2.00	2.60	48.00	48.00
DN32xDN20	42.40	26.90	1.60	2.90	3.20	1.60	2.00	2.60	48.00	48.00
DN32xDN25	42.40	33.70	1.60	2.90	3.20	1.60	2.90	3.20	48.00	48.00
DN40xDN15	48.30	21.30	1.60	2.90	3.20	1.60	2.00	2.60	57.00	57.00
DN40xDN20	48.30	26.90	1.60	2.90	3.20	1.60	2.00	2.60	57.00	57.00
DN40xDN25	48.30	33.70	1.60	2.90	3.20	1.60	2.90	3.20	57.00	57.00
DN40xDN32	48.30	42.40	1.60	2.90	3.20	1.60	2.90	3.20	57.00	57.00
DN50xDN20	60.30	26.90	1.60	2.90	3.60	1.60	2.00	2.60	64.00	44.00
DN50xDN25	60.30	33.70	1.60	2.90	3.60	1.60	2.90	3.20	64.00	51.00
DN50xDN32	60.30	42.40	1.60	2.90	3.60	1.60	2.90	3.20	64.00	57.00
DN50xDN40	60.30	48.30	1.60	2.90	3.60	1.60	2.90	3.20	64.00	60.00
DN65xDN25	76.10	33.70	2.00	3.20	3.60	1.60	2.90	3.20	76.00	57.00
DN65xDN32	76.10	42.40	2.00	3.20	3.60	1.60	2.90	3.20	76.00	64.00
DN65xDN40	76.10	48.30	2.00	3.20	3.60	1.60	2.90	3.20	76.00	67.00
DN65xDN50	76.10	60.30	2.00	3.20	3.60	1.60	2.90	3.60	76.00	70.00
DN80xDN32	88.90	42.40	2.00	3.20	4.00	1.60	2.90	3.20	86.00	70.00
DN80xDN40	88.90	48.30	2.00	3.20	4.00	1.60	2.90	3.20	86.00	73.00
DN80xDN50	88.90	60.30	2.00	3.20	4.00	1.60	2.90	3.60	86.00	76.00

产品品类：3909

GB/T 12459 异径三通短焊 Manual Weld: Reducing Tee 304L/316L

单位：mm

规格	OD1	OD2	T1			T2			C	M
			5S	10S	20S	5S	10S	20S		
DN80xDN65	88.90	76.10	2.00	3.20	4.00	2.00	3.20	3.60	86.00	83.00
DN90xDN40	101.60	48.30	2.00	3.20	4.00	1.60	2.90	3.20	95.00	79.00
DN90xDN50	101.60	60.30	2.00	3.20	4.00	1.60	2.90	3.60	95.00	83.00
DN90xDN65	101.60	76.10	2.00	3.20	4.00	2.00	3.20	3.60	95.00	89.00
DN90xDN80	101.60	88.90	2.00	3.20	4.00	2.00	3.20	4.00	95.00	92.00
DN100xDN40	114.30	48.30	2.00	3.20	4.00	1.60	2.90	3.20	105.00	86.00
DN100xDN50	114.30	60.30	2.00	3.20	4.00	1.60	2.90	3.60	105.00	89.00
DN100xDN65	114.30	76.10	2.00	3.20	4.00	2.00	3.20	3.60	105.00	95.00
DN100xDN80	114.30	88.90	2.00	3.20	4.00	2.00	3.20	4.00	105.00	98.00
DN100xDN90	114.30	101.60	2.00	3.20	4.00	2.00	3.20	4.00	105.00	102.00
DN125xDN50	139.70	60.30	2.90	3.60	5.00	1.60	2.90	3.60	124.00	105.00
DN125xDN65	139.70	76.10	2.90	3.60	5.00	2.00	3.20	3.60	124.00	108.00
DN125xDN80	139.70	88.90	2.90	3.60	5.00	2.00	3.20	4.00	124.00	111.00
DN125xDN90	139.70	101.60	2.90	3.60	5.00	2.00	3.20	4.00	124.00	114.00
DN125xDN100	139.70	114.30	2.90	3.60	5.00	2.00	3.20	4.00	124.00	117.00
DN150xDN65	168.30	76.10	2.90	3.60	5.00	2.00	3.20	3.60	143.00	121.00
DN150xDN80	168.30	88.90	2.90	3.60	5.00	2.00	3.20	4.00	143.00	124.00
DN150xDN90	168.30	101.60	2.90	3.60	5.00	2.00	3.20	4.00	143.00	127.00
DN150xDN100	168.30	114.30	2.90	3.60	5.00	2.00	3.20	4.00	143.00	130.00
DN150xDN125	168.30	139.70	2.90	3.60	5.00	2.90	3.60	5.00	143.00	137.00
DN200xDN90	219.10	101.60	2.90	4.00	6.30	2.00	3.20	4.00	178.00	152.00
DN200xDN100	219.10	114.30	2.90	4.00	6.30	2.00	3.20	4.00	178.00	156.00
DN200xDN125	219.10	139.70	2.90	4.00	6.30	2.90	3.60	5.00	178.00	162.00
DN200xDN150	219.10	168.30	2.90	4.00	6.30	2.90	3.60	5.00	178.00	168.00




产品品类：3912

GB/T 12459 同径四通短焊 Manual Weld: Straight Cross 304L/316L

单位：mm

规格	OD	5S	10S	20S	C	M
DN15	21.30	1.60	2.00	2.60	25.00	25.00
DN20	26.90	1.60	2.00	2.60	29.00	29.00
DN25	33.70	1.60	2.90	3.20	38.00	38.00
DN32	42.40	1.60	2.90	3.20	48.00	48.00
DN40	48.30	1.60	2.90	3.20	57.00	57.00
DN50	60.30	1.60	2.90	3.60	64.00	64.00
DN65	76.10	2.00	3.20	3.60	76.00	76.00
DN80	88.90	2.00	3.20	4.00	86.00	86.00
DN90	101.60	2.00	3.20	4.00	95.00	95.00
DN100	114.30	2.00	3.20	4.00	105.00	105.00
DN125	139.70	2.90	3.60	5.00	124.00	124.00
DN150	168.30	2.90	3.60	5.00	143.00	143.00
DN200	219.10	2.90	4.00	6.30	178.00	178.00



产品品类：3912

GB/T 12459 异径四通短焊 Manual Weld: Reducing Cross 304L/316L

单位：mm


规格	OD1	OD2	T1			T2			C	M
			5S	10S	20S	5S	10S	20S		
DN15xDN8	21.30	13.50	1.60	2.00	2.60	1.20	1.60	2.00	25.00	25.00
DN15xDN10	21.30	17.20	1.60	2.00	2.60	1.20	1.60	2.00	25.00	25.00
DN20xDN10	26.90	17.20	1.60	2.00	2.60	1.20	1.60	2.00	29.00	29.00
DN20xDN15	26.90	21.30	1.60	2.00	2.60	1.60	2.00	2.60	29.00	29.00
DN25xDN15	33.70	21.30	1.60	2.90	3.20	1.60	2.00	2.60	38.00	38.00
DN25xDN20	33.70	26.90	1.60	2.90	3.20	1.60	2.00	2.60	38.00	38.00
DN32xDN15	42.40	21.30	1.60	2.90	3.20	1.60	2.00	2.60	48.00	48.00
DN32xDN20	42.40	26.90	1.60	2.90	3.20	1.60	2.00	2.60	48.00	48.00
DN32xDN25	42.40	33.70	1.60	2.90	3.20	1.60	2.90	3.20	48.00	48.00
DN40xDN15	48.30	21.30	1.60	2.90	3.20	1.60	2.00	2.60	57.00	57.00
DN40xDN20	48.30	26.90	1.60	2.90	3.20	1.60	2.00	2.60	57.00	57.00
DN40xDN25	48.30	33.70	1.60	2.90	3.20	1.60	2.90	3.20	57.00	57.00
DN40xDN32	48.30	42.40	1.60	2.90	3.20	1.60	2.90	3.20	57.00	57.00
DN50xDN20	60.30	26.90	1.60	2.90	3.60	1.60	2.00	2.60	64.00	44.00
DN50xDN25	60.30	33.70	1.60	2.90	3.60	1.60	2.90	3.20	64.00	51.00
DN50xDN32	60.30	42.40	1.60	2.90	3.60	1.60	2.90	3.20	64.00	57.00
DN50xDN40	60.30	48.30	1.60	2.90	3.60	1.60	2.90	3.20	64.00	60.00
DN65xDN25	76.10	33.70	2.00	3.20	3.60	1.60	2.90	3.20	76.00	57.00
DN65xDN32	76.10	42.40	2.00	3.20	3.60	1.60	2.90	3.20	76.00	64.00
DN65xDN40	76.10	48.30	2.00	3.20	3.60	1.60	2.90	3.20	76.00	67.00
DN65xDN50	76.10	60.30	2.00	3.20	3.60	1.60	2.90	3.60	76.00	70.00
DN80xDN32	88.90	42.40	2.00	3.20	4.00	1.60	2.90	3.20	86.00	70.00
DN80xDN40	88.90	48.30	2.00	3.20	4.00	1.60	2.90	3.20	86.00	73.00
DN80xDN50	88.90	60.30	2.00	3.20	4.00	1.60	2.90	3.60	86.00	76.00

产品品类：3912

GB/T 12459 异径四通短焊 Manual Weld: Reducing Cross 304L/316L

单位：mm

规格	OD1	OD2	T1			T2			C	M
			5S	10S	20S	5S	10S	20S		
DN80xDN65	88.90	76.10	2.00	3.20	4.00	2.00	3.20	3.60	86.00	83.00
DN90xDN40	101.60	48.30	2.00	3.20	4.00	1.60	2.90	3.20	95.00	79.00
DN90xDN50	101.60	60.30	2.00	3.20	4.00	1.60	2.90	3.60	95.00	83.00
DN90xDN65	101.60	76.10	2.00	3.20	4.00	2.00	3.20	3.60	95.00	89.00
DN90xDN80	101.60	88.90	2.00	3.20	4.00	2.00	3.20	4.00	95.00	92.00
DN100xDN40	114.30	48.30	2.00	3.20	4.00	1.60	2.90	3.20	105.00	86.00
DN100xDN50	114.30	60.30	2.00	3.20	4.00	1.60	2.90	3.60	105.00	89.00
DN100xDN65	114.30	76.10	2.00	3.20	4.00	2.00	3.20	3.60	105.00	95.00
DN100xDN80	114.30	88.90	2.00	3.20	4.00	2.00	3.20	4.00	105.00	98.00
DN100xDN90	114.30	101.60	2.00	3.20	4.00	2.00	3.20	4.00	105.00	102.00
DN125xDN50	139.70	60.30	2.90	3.60	5.00	1.60	2.90	3.60	124.00	105.00
DN125xDN65	139.70	76.10	2.90	3.60	5.00	2.00	3.20	3.60	124.00	108.00
DN125xDN80	139.70	88.90	2.90	3.60	5.00	2.00	3.20	4.00	124.00	111.00
DN125xDN90	139.70	101.60	2.90	3.60	5.00	2.00	3.20	4.00	124.00	114.00
DN125xDN100	139.70	114.30	2.90	3.60	5.00	2.00	3.20	4.00	124.00	117.00
DN150xDN65	168.30	76.10	2.90	3.60	5.00	2.00	3.20	3.60	143.00	121.00
DN150xDN80	168.30	88.90	2.90	3.60	5.00	2.00	3.20	4.00	143.00	124.00
DN150xDN90	168.30	101.60	2.90	3.60	5.00	2.00	3.20	4.00	143.00	127.00
DN150xDN100	168.30	114.30	2.90	3.60	5.00	2.00	3.20	4.00	143.00	130.00
DN150xDN125	168.30	139.70	2.90	3.60	5.00	2.90	3.60	5.00	143.00	137.00
DN200xDN90	219.10	101.60	2.90	4.00	6.30	2.00	3.20	4.00	178.00	152.00
DN200xDN100	219.10	114.30	2.90	4.00	6.30	2.00	3.20	4.00	178.00	156.00
DN200xDN125	219.10	139.70	2.90	4.00	6.30	2.90	3.60	5.00	178.00	162.00
DN200xDN150	219.10	168.30	2.90	4.00	6.30	2.90	3.60	5.00	178.00	168.00



产品品类：3915

GB/T 12459 同心大小头短焊 Manual Weld: Concentric Reducer 304L/316L

单位：mm


规格	OD1	OD2	T1			T2			H
			5S	10S	20S	5S	10S	20S	
DN20xDN10	26.90	17.20	1.60	2.00	2.60	1.20	1.60	2.00	38.00
DN20xDN15	26.90	21.30	1.60	2.00	2.60	1.60	2.00	2.60	38.00
DN25xDN15	33.70	21.30	1.60	2.90	3.20	1.60	2.00	2.60	51.00
DN25xDN20	33.70	26.90	1.60	2.90	3.20	1.60	2.00	2.60	51.00
DN32xDN15	42.40	21.30	1.60	2.90	3.20	1.60	2.00	2.60	51.00
DN32xDN20	42.40	26.90	1.60	2.90	3.20	1.60	2.00	2.60	51.00
DN32xDN25	42.40	33.70	1.60	2.90	3.20	1.60	2.90	3.20	51.00
DN40xDN15	48.30	21.30	1.60	2.90	3.20	1.60	2.00	2.60	64.00
DN40xDN20	48.30	26.90	1.60	2.90	3.20	1.60	2.00	2.60	64.00
DN40xDN25	48.30	33.70	1.60	2.90	3.20	1.60	2.90	3.20	64.00
DN40xDN32	48.30	42.40	1.60	2.90	3.20	1.60	2.90	3.20	64.00
DN50xDN20	60.30	26.90	1.60	2.90	3.60	1.60	2.00	2.60	76.00
DN50xDN25	60.30	33.70	1.60	2.90	3.60	1.60	2.90	3.20	76.00
DN50xDN32	60.30	42.40	1.60	2.90	3.60	1.60	2.90	3.20	76.00
DN50xDN40	60.30	48.30	1.60	2.90	3.60	1.60	2.90	3.20	76.00
DN65xDN25	76.10	33.70	2.00	3.20	3.60	1.60	2.90	3.20	89.00
DN65xDN32	76.10	42.40	2.00	3.20	3.60	1.60	2.90	3.20	89.00
DN65xDN40	76.10	48.30	2.00	3.20	3.60	1.60	2.90	3.20	89.00
DN65xDN50	76.10	60.30	2.00	3.20	3.60	1.60	2.90	3.60	89.00
DN80xDN32	88.90	42.40	2.00	3.20	4.00	1.60	2.90	3.20	89.00
DN80xDN40	88.90	48.30	2.00	3.20	4.00	1.60	2.90	3.20	89.00
DN80xDN50	88.90	60.30	2.00	3.20	4.00	1.60	2.90	3.60	89.00
DN80xDN65	88.90	76.10	2.00	3.20	4.00	2.00	3.20	3.60	89.00

产品品类：3915

GB/T 12459 同心大小头短焊 Manual Weld: Concentric Reducer 304L/316L

单位：mm

规格	OD1	OD2	T1			T2			H
			5S	10S	20S	5S	10S	20S	
DN90xDN40	101.60	48.30	2.00	3.20	4.00	1.60	2.90	3.20	102.00
DN90xDN50	101.60	60.30	2.00	3.20	4.00	1.60	2.90	3.60	102.00
DN90xDN65	101.60	76.10	2.00	3.20	4.00	2.00	3.20	3.60	102.00
DN90xDN80	101.60	88.90	2.00	3.20	4.00	2.00	3.20	4.00	102.00
DN100xDN40	114.30	48.30	2.00	3.20	4.00	1.60	2.90	3.20	102.00
DN100xDN50	114.30	60.30	2.00	3.20	4.00	1.60	2.90	3.60	102.00
DN100xDN65	114.30	76.10	2.00	3.20	4.00	2.00	3.20	3.60	102.00
DN100xDN80	114.30	88.90	2.00	3.20	4.00	2.00	3.20	4.00	102.00
DN100xDN90	114.30	101.60	2.00	3.20	4.00	2.00	3.20	4.00	102.00
DN125xDN50	139.70	60.30	2.90	3.60	5.00	1.60	2.90	3.60	127.00
DN125xDN65	139.70	76.10	2.90	3.60	5.00	2.00	3.20	3.60	127.00
DN125xDN80	139.70	88.90	2.90	3.60	5.00	2.00	3.20	4.00	127.00
DN125xDN90	139.70	101.60	2.90	3.60	5.00	2.00	3.20	4.00	127.00
DN125xDN100	139.70	114.30	2.90	3.60	5.00	2.00	3.20	4.00	127.00
DN150xDN65	168.30	76.10	2.90	3.60	5.00	2.00	3.20	3.60	140.00
DN150xDN80	168.30	88.90	2.90	3.60	5.00	2.00	3.20	4.00	140.00
DN150xDN90	168.30	101.60	2.90	3.60	5.00	2.00	3.20	4.00	140.00
DN150xDN100	168.30	114.30	2.90	3.60	5.00	2.00	3.20	4.00	140.00
DN150xDN125	168.30	139.70	2.90	3.60	5.00	2.90	3.60	5.00	140.00
DN200xDN90	219.10	101.60	2.90	4.00	6.30	2.00	3.20	4.00	152.00
DN200xDN100	219.10	114.30	2.90	4.00	6.30	2.00	3.20	4.00	152.00
DN200xDN125	219.10	139.70	2.90	4.00	6.30	2.90	3.60	5.00	152.00
DN200xDN150	219.10	168.30	2.90	4.00	6.30	2.90	3.60	5.00	152.00



产品品类：3919

GB/T 12459 偏心大小头短焊 Manual Weld: Eccentric Reducer 304L/316L

单位：mm


规格	OD1	OD2	T1			T2			H
			5S	10S	20S	5S	10S	20S	
DN20xDN10	26.90	17.20	1.60	2.00	2.60	1.20	1.60	2.00	38.00
DN20xDN15	26.90	21.30	1.60	2.00	2.60	1.60	2.00	2.60	38.00
DN25xDN15	33.70	21.30	1.60	2.90	3.20	1.60	2.00	2.60	51.00
DN25xDN20	33.70	26.90	1.60	2.90	3.20	1.60	2.00	2.60	51.00
DN32xDN15	42.40	21.30	1.60	2.90	3.20	1.60	2.00	2.60	51.00
DN32xDN20	42.40	26.90	1.60	2.90	3.20	1.60	2.00	2.60	51.00
DN32xDN25	42.40	33.70	1.60	2.90	3.20	1.60	2.90	3.20	51.00
DN40xDN15	48.30	21.30	1.60	2.90	3.20	1.60	2.00	2.60	64.00
DN40xDN20	48.30	26.90	1.60	2.90	3.20	1.60	2.00	2.60	64.00
DN40xDN25	48.30	33.70	1.60	2.90	3.20	1.60	2.90	3.20	64.00
DN40xDN32	48.30	42.40	1.60	2.90	3.20	1.60	2.90	3.20	64.00
DN50xDN20	60.30	26.90	1.60	2.90	3.60	1.60	2.00	2.60	76.00
DN50xDN25	60.30	33.70	1.60	2.90	3.60	1.60	2.90	3.20	76.00
DN50xDN32	60.30	42.40	1.60	2.90	3.60	1.60	2.90	3.20	76.00
DN50xDN40	60.30	48.30	1.60	2.90	3.60	1.60	2.90	3.20	76.00
DN65xDN25	76.10	33.70	2.00	3.20	3.60	1.60	2.90	3.20	89.00
DN65xDN32	76.10	42.40	2.00	3.20	3.60	1.60	2.90	3.20	89.00
DN65xDN40	76.10	48.30	2.00	3.20	3.60	1.60	2.90	3.20	89.00
DN65xDN50	76.10	60.30	2.00	3.20	3.60	1.60	2.90	3.60	89.00
DN80xDN32	88.90	42.40	2.00	3.20	4.00	1.60	2.90	3.20	89.00
DN80xDN40	88.90	48.30	2.00	3.20	4.00	1.60	2.90	3.20	89.00
DN80xDN50	88.90	60.30	2.00	3.20	4.00	1.60	2.90	3.60	89.00
DN80xDN65	88.90	76.10	2.00	3.20	4.00	2.00	3.20	3.60	89.00

产品品类：3919

GB/T 12459 偏心大小头短焊 Manual Weld: Eccentric Reducer 304L/316L

单位：mm

规格	OD1	OD2	T1			T2			H
			5S	10S	20S	5S	10S	20S	
DN90xDN40	101.60	48.30	2.00	3.20	4.00	1.60	2.90	3.20	102.00
DN90xDN50	101.60	60.30	2.00	3.20	4.00	1.60	2.90	3.60	102.00
DN90xDN65	101.60	76.10	2.00	3.20	4.00	2.00	3.20	3.60	102.00
DN90xDN80	101.60	88.90	2.00	3.20	4.00	2.00	3.20	4.00	102.00
DN100xDN40	114.30	48.30	2.00	3.20	4.00	1.60	2.90	3.20	102.00
DN100xDN50	114.30	60.30	2.00	3.20	4.00	1.60	2.90	3.60	102.00
DN100xDN65	114.30	76.10	2.00	3.20	4.00	2.00	3.20	3.60	102.00
DN100xDN80	114.30	88.90	2.00	3.20	4.00	2.00	3.20	4.00	102.00
DN100xDN90	114.30	101.60	2.00	3.20	4.00	2.00	3.20	4.00	102.00
DN125xDN50	139.70	60.30	2.90	3.60	5.00	1.60	2.90	3.60	127.00
DN125xDN65	139.70	76.10	2.90	3.60	5.00	2.00	3.20	3.60	127.00
DN125xDN80	139.70	88.90	2.90	3.60	5.00	2.00	3.20	4.00	127.00
DN125xDN90	139.70	101.60	2.90	3.60	5.00	2.00	3.20	4.00	127.00
DN125xDN100	139.70	114.30	2.90	3.60	5.00	2.00	3.20	4.00	127.00
DN150xDN65	168.30	76.10	2.90	3.60	5.00	2.00	3.20	3.60	140.00
DN150xDN80	168.30	88.90	2.90	3.60	5.00	2.00	3.20	4.00	140.00
DN150xDN90	168.30	101.60	2.90	3.60	5.00	2.00	3.20	4.00	140.00
DN150xDN100	168.30	114.30	2.90	3.60	5.00	2.00	3.20	4.00	140.00
DN150xDN125	168.30	139.70	2.90	3.60	5.00	2.90	3.60	5.00	140.00
DN200xDN90	219.10	101.60	2.90	4.00	6.30	2.00	3.20	4.00	152.00
DN200xDN100	219.10	114.30	2.90	4.00	6.30	2.00	3.20	4.00	152.00
DN200xDN125	219.10	139.70	2.90	4.00	6.30	2.90	3.60	5.00	152.00
DN200xDN150	219.10	168.30	2.90	4.00	6.30	2.90	3.60	5.00	152.00




产品品类：3927

GB/T 12459 翻边接头 长款 Tube Stub End-Long 304L/316L

单位：mm

规格	OD	5S	10S	20S	G	R	F
DN15	21.30	1.60	2.00	2.60	35.00	3.00	76.00
DN20	26.90	1.60	2.00	2.60	43.00	3.00	76.00
DN25	33.70	1.60	2.90	3.20	51.00	3.00	102.00
DN32	42.40	1.60	2.90	3.20	64.00	5.00	102.00
DN40	48.30	1.60	2.90	3.20	73.00	6.00	102.00
DN50	60.30	1.60	2.90	3.60	92.00	8.00	152.00
DN65	76.10	2.00	3.20	3.60	105.00	8.00	152.00
DN80	88.90	2.00	3.20	4.00	127.00	10.00	152.00
DN90	101.60	2.00	3.20	4.00	140.00	10.00	152.00
DN100	114.30	2.00	3.20	4.00	157.00	11.00	152.00
DN125	139.70	2.90	3.60	5.00	186.00	11.00	203.00
DN150	168.30	2.90	3.60	5.00	216.00	13.00	203.00
DN200	219.10	2.90	4.00	6.30	270.00	13.00	203.00




产品品类：3928

GB/T 12459 翻边接头 长款 Tube Stub End-Long 304L/316L

单位：mm

规格	OD	5S	10S	20S	G	R	F
DN15	21.30	1.60	2.00	2.60	35.00	3.00	51.00
DN20	26.90	1.60	2.00	2.60	43.00	3.00	51.00
DN25	33.70	1.60	2.90	3.20	51.00	3.00	51.00
DN32	42.40	1.60	2.90	3.20	64.00	5.00	51.00
DN40	48.30	1.60	2.90	3.20	73.00	6.00	51.00
DN50	60.30	1.60	2.90	3.60	92.00	8.00	64.00
DN65	76.10	2.00	3.20	3.60	105.00	8.00	64.00
DN80	88.90	2.00	3.20	4.00	127.00	10.00	64.00
DN90	101.60	2.00	3.20	4.00	140.00	10.00	76.00
DN100	114.30	2.00	3.20	4.00	157.00	11.00	76.00
DN125	139.70	2.90	3.60	5.00	186.00	11.00	76.00
DN150	168.30	2.90	3.60	5.00	216.00	13.00	89.00
DN200	219.10	2.90	4.00	6.30	270.00	13.00	102.00




产品品类：3829

HG/T 20592 PN10 板式平焊法兰 Welding Plate Flange 304L/316L

单位：mm

规格	D	K	B1	C	nxL
DN10	90.00	60.00	18.00	14.00	4 × Ø14.00
DN15	95.00	65.00	22.50	14.00	4 × Ø14.00
DN20	105.00	75.00	27.50	16.00	4 × Ø14.00
DN25	115.00	85.00	34.50	16.00	4 × Ø14.00
DN32	140.00	100.00	43.50	18.00	4 × Ø18.00
DN40	150.00	110.00	49.50	18.00	4 × Ø18.00
DN50	165.00	125.00	61.50	19.00	4 × Ø18.00
DN65	185.00	145.00	77.50	20.00	8 × Ø18.00
DN80	200.00	160.00	90.50	20.00	8 × Ø18.00
DN100	220.00	180.00	116.00	22.00	8 × Ø18.00
DN125	250.00	210.00	143.50	22.00	8 × Ø18.00
DN150	285.00	240.00	170.50	24.00	8 × Ø22.00
DN200	340.00	295.00	221.50	24.00	8 × Ø22.00




产品品类：3830

HG/T 20592 PN10 带颈平焊法兰 Slip-On Welding Flange 304L/316L

单位：mm

规格	D	K	B1	C	H	nxL
DN10	90.00	60.00	18.00	16.00	22.00	4 × Ø14.00
DN15	95.00	65.00	22.50	16.00	22.00	4 × Ø14.00
DN20	105.00	75.00	27.50	18.00	26.00	4 × Ø14.00
DN25	115.00	85.00	34.50	18.00	28.00	4 × Ø14.00
DN32	140.00	100.00	43.50	18.00	30.00	4 × Ø18.00
DN40	150.00	110.00	49.50	18.00	32.00	4 × Ø18.00
DN50	165.00	125.00	61.50	18.00	28.00	4 × Ø18.00
DN65	185.00	145.00	77.50	18.00	32.00	8 × Ø18.00
DN80	200.00	160.00	90.50	20.00	34.00	8 × Ø18.00
DN100	220.00	180.00	116.00	20.00	40.00	8 × Ø18.00
DN125	250.00	210.00	143.50	22.00	44.00	8 × Ø18.00
DN150	285.00	240.00	170.50	22.00	44.00	8 × Ø22.00
DN200	340.00	295.00	221.50	24.00	44.00	8 × Ø22.00




产品品类：3831

HG/T 20592 PN10 带颈对焊法兰 Neck Welding Flange 304L/316L

单位：mm

规格	D	K	A	S	C	H	nxL
DN10	90.00	60.00	17.20	1.80	16.00	35.00	4 × Ø14.00
DN15	95.00	65.00	21.30	2.00	16.00	38.00	4 × Ø14.00
DN20	105.00	75.00	26.90	2.30	18.00	40.00	4 × Ø14.00
DN25	115.00	85.00	33.70	2.60	18.00	40.00	4 × Ø14.00
DN32	140.00	100.00	42.40	2.60	18.00	42.00	4 × Ø18.00
DN40	150.00	110.00	48.30	2.60	18.00	45.00	4 × Ø18.00
DN50	165.00	125.00	60.30	2.90	18.00	45.00	4 × Ø18.00
DN65	185.00	145.00	76.10	2.90	18.00	45.00	8 × Ø18.00
DN80	200.00	160.00	88.90	3.20	20.00	50.00	8 × Ø18.00
DN100	220.00	180.00	114.30	3.60	20.00	52.00	8 × Ø18.00
DN125	250.00	210.00	139.70	4.00	22.00	55.00	8 × Ø18.00
DN150	285.00	240.00	168.30	4.50	22.00	55.00	8 × Ø22.00
DN200	340.00	295.00	219.10	6.30	24.00	62.00	8 × Ø22.00




产品品类：3832

HG/T 20592 Pn10 活套法兰 Lap Joint Flange 304L/316L

单位：mm

规格	D	K	B1	A1	C	h	nxL
DN10	90.00	60.00	21.00	17.20	16.00	35.00	4 × Ø14.00
DN15	95.00	65.00	25.00	21.30	16.00	38.00	4 × Ø14.00
DN20	105.00	75.00	31.00	26.90	18.00	40.00	4 × Ø14.00
DN25	115.00	85.00	38.00	33.70	18.00	40.00	4 × Ø14.00
DN32	140.00	100.00	47.00	42.40	18.00	42.00	4 × Ø18.00
DN40	150.00	110.00	53.00	48.30	18.00	45.00	4 × Ø18.00
DN50	165.00	125.00	65.00	60.30	18.00	45.00	4 × Ø18.00
DN65	185.00	145.00	81.00	76.10	18.00	45.00	8 × Ø18.00
DN80	200.00	160.00	94.00	88.90	20.00	50.00	8 × Ø18.00
DN100	220.00	180.00	120.00	114.30	20.00	52.00	8 × Ø18.00
DN125	250.00	210.00	145.00	139.70	22.00	55.00	8 × Ø18.00
DN150	285.00	240.00	174.00	168.30	22.00	55.00	8 × Ø22.00
DN200	340.00	295.00	226.00	219.10	24.00	62.00	8 × Ø22.00



产品品类：3833

HG/T 20592 PN10 法兰盖 Blind Flange 304L/316L

单位：mm

规格	D	K	C	$n \times L$
DN10	90.00	60.00	16.00	4 × Ø14.00
DN15	95.00	65.00	16.00	4 × Ø14.00
DN20	105.00	75.00	18.00	4 × Ø14.00
DN25	115.00	85.00	18.00	4 × Ø14.00
DN32	140.00	100.00	18.00	4 × Ø18.00
DN40	150.00	110.00	18.00	4 × Ø18.00
DN50	165.00	125.00	18.00	4 × Ø18.00
DN65	185.00	145.00	18.00	8 × Ø18.00
DN80	200.00	160.00	20.00	8 × Ø18.00
DN100	220.00	180.00	20.00	8 × Ø18.00
DN125	250.00	210.00	22.00	8 × Ø18.00
DN150	285.00	240.00	22.00	8 × Ø22.00
DN200	340.00	295.00	24.00	8 × Ø22.00



高洁净Hygienic

勇敢而来

TO BE BRAVE

与您共进

TO BE WITH YOU

Contact

联系我们



张先生 18261407712



wade.zhang@hjl.group



昆山市花桥镇云桥路118号浦江大厦3-406 室
Room 3-406, Pujiang Building, No.118 Yunqiao Road,
Huaqiao Town, Kunshan